



# BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



| Tên hàng                                 | KW      | HP    | In (A)    |           | Mô tả  | Đơn giá (VNĐ)  |
|--|---------|-------|-----------|-----------|--|--|
| <b>Loại 1 pha 200~230VAC</b>             |         |       | <b>HD</b> | <b>ND</b> | V/f, sensorless vector control, tích hợp điện trở thắng, RS485 (LS Bus / Modbus RTU) dùng cho các ứng dụng cơ bản (bơm, quạt, băng tải, máy đóng gói...)             |  |
| SV004IG5A-1                              | 0.4KW   | 1/2HP | 2.5A      | -         | 1 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím   | 3,380,000  |
| SV008IG5A-1                              | 0.75KW  | 1HP   | 5A        | -         |  | 3,630,000  |
| SV015IG5A-1                              | 1.5KW   | 2HP   | 8A        | -         |  | 4,090,000  |
| <b>Loại 3 pha 200~230VAC</b>             |         |       | <b>HD</b> | <b>ND</b> | V/f, sensorless vector control, tích hợp điện trở thắng, RS485 (LS Bus / Modbus RTU)   |  |
| SV004IG5A-2                              | 0.4 KW  | 1/2HP | 2.5A      | -         |  <p>3 pha, 200~230VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím</p>  | 3,070,000  |
| SV008IG5A-2                              | 0.75 KW | 1HP   | 5A        | -         |  | 3,320,000  |
| SV015IG5A-2                              | 1.5 KW  | 2HP   | 8A        | -         |  | 3,840,000  |
| SV022IG5A-2                              | 2.2KW   | 3HP   | 12A       | -         |  | 4,430,000  |
| SV037IG5A-2                              | 3.7KW   | 5HP   | 16A       | -         |  | 5,010,000  |
| SV040IG5A-2                              | 4KW     | 5.4HP | 17A       | -         |  | 5,010,000  |
| SV055IG5A-2                              | 5.5KW   | 7.5HP | 24A       | -         |  | 7,500,000  |
| SV075IG5A-2                              | 7.5KW   | 10HP  | 32A       | -         |  | 8,390,000  |
| SV110IG5A-2                              | 11KW    | 15HP  | 46A       | -         |  | 15,400,000   |
| SV150IG5A-2                              | 15KW    | 20HP  | 60A       | -         |  | 17,770,000   |
| SV185IG5A-2                              | 18.5KW  | 25HP  | 74A       | -         |  | 20,470,000   |
| SV220IG5A-2                              | 22KW    | 30HP  | 88A       | -         |  | 24,290,000   |
| <b>Loại 3 pha 380~480VAC</b>             |         |       | <b>HD</b> | <b>ND</b> |  | V/f, sensorless vector control, tích hợp điện trở thắng, RS485 (LS Bus / Modbus RTU) |
| SV004IG5A-4                              | 0.4 KW  | 1/2HP | 1.25A     | -         |  <p>3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím</p> | 3,300,000  |
| SV008IG5A-4                              | 0.75 KW | 1HP   | 2.5A      | -         |  | 3,480,000  |
| SV015IG5A-4                              | 1.5 KW  | 2HP   | 4A        | -         |  | 3,820,000  |
| SV022IG5A-4                              | 2.2KW   | 3HP   | 6A        | -         |  | 4,350,000  |
| SV037IG5A-4                              | 3.7KW   | 5HP   | 8A        | -         |  | 5,170,000  |
| SV040IG5A-4                              | 4.0KW   | 5.4HP | 9A        | -         |  | 5,170,000  |
| SV055IG5A-4                              | 5.5KW   | 7.5HP | 12A       | -         |  | 7,270,000  |
| SV075IG5A-4                              | 7.5KW   | 10HP  | 16A       | -         |  | 7,940,000  |
| SV110IG5A-4                              | 11KW    | 15HP  | 24A       | -         |  | 13,800,000   |
| SV150IG5A-4                              | 15KW    | 20HP  | 30A       | -         |  | 15,020,000   |
| SV185IG5A-4                              | 18.5KW  | 25HP  | 39A       | -         |  | 17,830,000   |
| SV220IG5A-4                              | 22KW    | 30HP  | 45A       | -         |  | 19,360,000   |
| <b>Remote 2m (with LCD for SV-IG5A )</b> |         |       |           |           |  | Bàn phím dùng gắn ngoài kèm cáp kết nối loại 2 mét                                   |
| <b>Remote 3m (with LCD for SV-IG5A )</b> |         |       |           |           | Bàn phím dùng gắn ngoài kèm cáp kết nối loại 3 mét   | 620,000  |
| <b>Remote 5m (with LCD for SV-IG5A )</b> |         |       |           |           | Bàn phím dùng gắn ngoài kèm cáp kết nối loại 5 mét   | 700,000  |

**- GHI CHÚ:**




\*\*HD(Heavy Duty) Overload 150% 1min.

\*\*ND(Normal Duty): Overload 110% or 120% 1min

# BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC



(Áp dụng từ ngày 20-04-2018)

| Tên hàng                                    | KW     | HP    | In (A)    |           | Mô tả  | Đơn giá (VNĐ)   |
|---|--------|-------|-----------|-----------|--|---|
| <b>Loại 1 pha 200~240VAC - IP20</b>         |        |       | <b>HD</b> | <b>ND</b> | : V/f, fixed keypad, EMC filter(C2)  |   |
| LSLV0004M100-1EOFNS                         | 0.4KW  | 1/2HP | 2.4A      | -         |  1 phase, 200~240VAC(±10%),<br>50~60Hz(±5%), 0.1~400Hz (Standard I/O: 3<br>Digital Inputs, 1 Analog Input, 1 Analog<br>Output, 1 Open Collector, 1 Relay) | 2,400,000   |
| LSLV0008M100-1EOFNS                         | 0.75KW | 1HP   | 4.2A      | -         |  | 2,550,000   |
| LSLV0015M100-1EOFNS                         | 1.5KW  | 2HP   | 7.5A      | -         |  | 3,010,000   |
| LSLV0022M100-1EOFNS                         | 2.2KW  | 3HP   | 10A       | -         |  | 3,290,000   |
| <b>Loại 3 Pha 220~230VAC - IP20</b>         |        |       |           | <b>ND</b> | V/f, RS485(LS Bus / Modbus RTU / BACnet / Metasys N2), Pulse train I/O, RTC(Real Time Clock), đã có màn hình (HAND/OFF/AUTO), USB Port/ Ứng dụng chuyên cho hệ HVAC, Bơm, Quạt...  |   |
| LSLV0008H100-2CONN                          | 0.75kW | 1HP   |           | 6A        |  3 phase, 200~240VAC(+10%,-15%), 50~60Hz(±5%),<br>0.01~400Hz, IP20, built-in Dynamic braking transistor,<br>EMC Filter(C3)                               | 5,080,000   |
| LSLV0015H100-2CONN                          | 1.5kW  | 2HP   |           | 9.6A      |  | 5,410,000   |
| LSLV0022H100-2CONN                          | 2.2kW  | 3HP   |           | 12A       |  | 6,100,000   |
| LSLV0037H100-2CONN                          | 3.7kW  | 5HP   |           | 18A       |  | 6,860,000   |
| LSLV0055H100-2CONN                          | 5.5kW  | 7.5HP |           | 22A       |  | 8,270,000   |
| LSLV0075H100-2CONN                          | 7.5kW  | 10HP  |           | 30A       |  | 9,430,000   |
| LSLV0110H100-2CONN                          | 11KW   | 15HP  |           | 42A       |  | 10,720,000  |
| LSLV0150H100-2CONN                          | 15KW   | 20HP  |           | 59A       |  | 14,430,000  |
| LSLV0185H100-2CONN                          | 18.5KW | 25HP  |           | 69A       |  | 18,760,000  |
| <b>Loại 3 Phase 380~480VAC - IP20, IP00</b> |        |       |           | <b>ND</b> |  | V/f, RS485(LS Bus / Modbus RTU / BACnet / Metasys N2), Pulse train I/O, RTC(Real Time Clock), đã có màn hình (HAND/OFF/AUTO), USB Port/ Ứng dụng chuyên cho hệ HVAC, Bơm, Quạt... |
| LSLV0008H100-4COFN                          | 0.75kW | 1HP   |           | 2.4A      |  3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%),<br>0.01~400Hz, IP20, built-in Dynamic braking transistor,<br>EMC Filter(C3)                              | 5,370,000   |
| LSLV0015H100-4COFN                          | 1.5kW  | 2HP   |           | 4A        |  | 5,620,000   |
| LSLV0022H100-4COFN                          | 2.2kW  | 3HP   |           | 6A        |  | 6,060,000   |
| LSLV0037H100-4COFN                          | 3.7kW  | 5HP   |           | 8A        |  | 6,760,000   |
| LSLV0055H100-4COFN                          | 5.5kW  | 7.5HP |           | 12A       |  | 7,640,000   |
| LSLV0075H100-4COFN                          | 7.5kW  | 10HP  |           | 16A       |  | 8,880,000   |
| LSLV0110H100-4COFN                          | 11KW   | 15HP  |           | 24A       |  | 9,980,000   |
| LSLV0150H100-4COFN                          | 15KW   | 20HP  |           | 30A       |  | 13,720,000  |
| LSLV0185H100-4COFN                          | 18.5KW | 25HP  |           | 38A       |  | 16,370,000  |
| LSLV0220H100-4COFN                          | 22KW   | 30HP  |           | 45A       |  | 21,130,000  |
| LSLV0300H100-4COFN                          | 30KW   | 40HP  |           | 61A       |  | 24,960,000  |
| LSLV0370H100-4COND                          | 37KW   | 50HP  |           | 75A       |  | 31,930,000  |
| LSLV0450H100-4COND                          | 45KW   | 60HP  |           | 91A       |  | 38,410,000  |
| LSLV0550H100-4COND                          | 55KW   | 75HP  |           | 107A      |  | 44,860,000  |
| LSLV0750H100-4COND                          | 75KW   | 100HP |           | 142A      |  | 50,190,000  |
| LSLV0900H100-4COND                          | 90KW   | 125HP |           | 169A      |  | 60,930,000  |
| LSLV1100H100-4COFD                          | 110KW  | 150HP |           | 223       |  | 89,000,000  |
| LSLV1320H100-4COFD                          | 132KW  | 200HP |           | 264       |  | 94,000,000  |
| LSLV1600H100-4COFD                          | 160KW  | 250HP |           | 325       |  | 108,150,000   |
| LSLV1850H100-4COFD                          | 185KW  | 300HP |           | 370       | 124,000,000  |   |
| LSLV2200H100-4COFD                          | 220KW  | 350HP |           | 432       | 146,000,000  |   |
| LSLV2500H100-4COFD                          | 250KW  | 400HP |           | 481       | 165,000,000  |   |
| LSLV3150H100-4COFD                          | 315KW  | 500HP |           | 613       | 362,000,000  |   |
| LSLV3550H100-4COFD                          | 355KW  | 550HP |           | 683       | 400,000,000  |   |
| LSLV4000H100-4COFD                          | 400KW  | 650HP |           | 770       | 450,000,000  |   |
| LSLV5000H100-4COFD                          | 500KW  | 800HP |           | 962       | 494,000,000  |   |

- GHI CHÚ:


\*\*HD(Heavy Duty) Overload 150% 1min.

\*\*ND(Normal Duty): Overload 110% or 120% 1min

# BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)





| Tên hàng                   | KW   | HP    | In (A) |      | Mô tả  | Đơn giá (VNĐ)   |            |
|----------------------------|------|-------|--------|------|--|---|------------|
| Loại 3 pha 380~480VAC      |      |       | HD     | ND   | Built-in RS485(LS Bus / Modbus RTU)/ Ứng dụng cho các tải nặng như băng tải, máy khuấy, máy nén..., N: Chưa có màn hình, D: Tích hợp DC Reactor, Từ 0.75-22Kw tích hợp DBU |   |            |
| SV0008IS7-4NO              | 0.75 | 1HP   | 2.5A   | 4A   |    | 6,960,000   |            |
| SV0015IS7-4NO              | 1.5  | 2HP   | 4A     | 6A   |  | 7,280,000   |            |
| SV0022IS7-4NO              | 2.2  | 3HP   | 6A     | 8A   |  | 7,630,000   |            |
| SV0037IS7-4NO              | 3.7  | 5HP   | 8A     | 12A  |  | 7,820,000   |            |
| SV0055IS7-4NO              | 5.5  | 7.5HP | 12A    | 16A  |  | 8,940,000   |            |
| SV0075IS7-4NO              | 7.5  | 10HP  | 16A    | 24A  |  | 9,700,000   |            |
| SV0110IS7-4NO              | 11   | 15HP  | 24A    | 30A  |  | 14,990,000  |            |
| SV0150IS7-4NO              | 15   | 20HP  | 30A    | 39A  |  | 16,600,000  |            |
| SV0185IS7-4NO              | 18.5 | 25HP  | 39A    | 45A  |  | 20,520,000  |            |
| SV0220IS7-4NO              | 22   | 30HP  | 45A    | 61A  |  | 23,260,000  |            |
| SV0300IS7-4NO              | 30   | 40HP  | 62A    | 75A  |  | 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng | 34,750,000 |
| SV0370IS7-4NO              | 37   | 50HP  | 75A    | 91A  |  |   | 37,740,000 |
| SV0450IS7-4NO              | 45   | 60HP  | 92A    | 110A | 44,640,000   |   |            |
| SV0550IS7-4NO              | 55   | 75HP  | 111A   | 152A | 49,450,000   |   |            |
| SV0750IS7-4NO              | 75   | 100HP | 152A   | 183A | 58,660,000   |   |            |
| SV0008IS7-4NOFD            | 0.75 | 1HP   | 2.5A   | 4A   | 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp transistor điều khiển điện trở thẳng, bộ lọc EMC, cuộn kháng DC   |   | 8,620,000  |
| SV0015IS7-4NOFD            | 1.5  | 2HP   | 4A     | 6A   |  | 9,050,000   |            |
| SV0022IS7-4NOFD            | 2.2  | 3HP   | 6A     | 8A   |  | 9,450,000   |            |
| SV0037IS7-4NOFD            | 3.7  | 5HP   | 8A     | 12A  |  | 9,750,000   |            |
| SV0055IS7-4NOFD            | 5.5  | 7.5HP | 12A    | 16A  |  | 11,250,000  |            |
| SV0075IS7-4NOFD            | 7.5  | 10HP  | 16A    | 24A  |  | 12,190,000  |            |
| SV0110IS7-4NOFD            | 11   | 15HP  | 24A    | 30A  |  | 18,830,000  |            |
| SV0150IS7-4NOFD            | 15   | 20HP  | 30A    | 39A  |  | 21,490,000  |            |
| SV0185IS7-4NOFD            | 18.5 | 25HP  | 39A    | 45A  |  | 26,620,000  |            |
| SV0220IS7-4NOFD            | 22   | 30HP  | 45A    | 61A  |  | 30,030,000  |            |
| SV0300IS7-4NOD             | 30   | 40HP  | 65A    | 75A  | 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp cuộn kháng DC   | 38,620,000  |            |
| SV0370IS7-4NOD             | 37   | 50HP  | 75A    | 91A  |  | 42,970,000  |            |
| SV0450IS7-4NOD             | 45   | 60HP  | 91A    | 110A |  | 50,790,000  |            |
| SV0550IS7-4NOD             | 55   | 75HP  | 110A   | 152A |  | 56,780,000  |            |
| SV0750IS7-4NOD             | 75   | 100HP | 152A   | 183A |  | 64,380,000  |            |
| SV0900IS7-4SOD             | 90   | 125HP | 183A   | 223A | 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, tích hợp cuộn kháng DC, bàn phím   | 98,490,000  |            |
| SV1100IS7-4SOD             | 110  | 150HP | 223A   | 264A |  | 104,530,000   |            |
| SV1320IS7-4SOD             | 132  | 175HP | 264A   | 325A |  | 115,840,000   |            |
| SV1600IS7-4SOD             | 160  | 215HP | 325A   | 370A |  | 149,250,000   |            |
| SV1850IS7-4SOD             | 185  | 250HP | 370A   | 432A |  | 202,280,000   |            |
| SV2200IS7-4SOD             | 220  | 300HP | 432A   | 547A |  | 212,930,000   |            |
| SV2800IS7-4SO              | 285  | 350HP | 547A   | 613A | 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~400Hz, bàn phím   | 368,550,000   |            |
| SV3150IS7-4SO              | 315  | 400HP | 613A   | 731A |  | 451,900,000   |            |
| SV3750IS7-4SO              | 375  | 500HP | 731A   | 877A |  | 485,860,000   |            |
| SV-IS7 LCD Key pad         |      |       |        |      | Bảng điều khiển màn hình màu dùng cho iS7 (đa ngôn ngữ: English, Italian, Spanish, Russian, Turkish)   | 1,020,000   |            |
| Remote cable 2m (for IS7 ) |      |       |        |      | Cáp kết nối bảng điều khiển và biến tần iS7 loại 2 mét   | 270,000   |            |
| Remote cable 3m (for IS7 ) |      |       |        |      | Cáp kết nối bảng điều khiển và biến tần iS7 loại 3 mét   | 290,000   |            |

# BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



| Tên hàng                       | KW     | HP    | In (A) |      | Mô tả  | Đơn giá (VND) |
|--------------------------------|--------|-------|--------|------|--|---------------|
| Loại 1 Pha 200~230VAC          |        |       | HD     | ND   | Điều khiển V/F, tích hợp bàn phím, biến trở điều chỉnh tốc độ<br>Các ứng dụng cơ bản (bơm, quạt, băng tải, cửa thang máy...)               |               |
| SV004IE5-1                     | 0.4KW  | 1/2HP | 2.5A   | -    | 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz   | 1,810,000     |
| SV004IE5-1C                    | 0.4KW  | 1/2HP | 2.5A   | -    | 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~200Hz, tích hợp RS485(Modbus RTU)   | 1,970,000     |
| Loại 1 Pha 200~230VAC          |        |       | HD     | ND   | Điều khiển V/f, sensorless vector control, tích hợp bàn phím/biến trở điều chỉnh tốc độ<br>Các ứng dụng cơ bản, các máy công suất nhỏ.     |               |
| SV004iC5-1                     | 0.4KW  | 1/2HP | 2.5A   | -    | 1 pha, 200~230VAC(±10%), 50~60Hz(±5%), 0.1~400Hz<br>    | 2,400,000     |
| SV008iC5-1                     | 0.75KW | 1HP   | 5A     | -    |  | 2,550,000     |
| SV015iC5-1                     | 1.5KW  | 2HP   | 8A     | -    |  | 3,010,000     |
| SV022iC5-1                     | 2.2KW  | 3HP   | 12A    | -    |  | 3,290,000     |
| Loại 3 pha 380~480VAC          |        |       | HD     | ND   | V/f, sensorless vector control, VT drive, RS485(LS Bus)/<br>Ứng dụng chuyên cho Bơm, Quạt..., N: Chưa có màn hình, L: Tích hợp DC Reactor. |               |
| SV055IP5A-4NE                  | 5.5KW  | 7.5HP |        | 12A  |    | 8,050,000     |
| SV075IP5A-4NE                  | 7.5KW  | 10HP  |        | 16A  |  | 9,230,000     |
| SV110IP5A-4NE                  | 11KW   | 15HP  |        | 24A  |  | 10,010,000    |
| SV150IP5A-4NO                  | 15KW   | 20HP  |        | 30A  |  | 15,480,000    |
| SV185IP5A-4NO                  | 18.5KW | 25HP  |        | 39A  |  | 17,140,000    |
| SV220IP5A-4NO                  | 22KW   | 30HP  |        | 45A  |  | 21,200,000    |
| SV300IP5A-4NO                  | 30KW   | 40HP  |        | 61A  |  | 24,000,000    |
| SV370IP5A-4O                   | 37KW   | 50HP  |        | 75A  |  | 35,920,000    |
| SV450IP5A-4O                   | 45KW   | 60HP  |        | 91A  |  | 38,990,000    |
| SV550IP5A-4O                   | 55KW   | 75HP  |        | 110A |  | 46,100,000    |
| SV750IP5A-4O                   | 75KW   | 100HP |        | 152A | 51,070,000   |               |
| SV900IP5A-4O                   | 90KW   | 125HP |        | 183A | 60,560,000   |               |
| SV220IP5A-4NOL                 | 22KW   | 30HP  |        | 45A  | 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp cuộn kháng DC   | 23,190,000    |
| SV300IP5A-4NOL                 | 30KW   | 40HP  |        | 61A  | 26,080,000   |               |
| SV370IP5A-4OL                  | 37KW   | 50HP  |        | 75A  | 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím, cuộn kháng DC   | 39,890,000    |
| SV450IP5A-4OL                  | 45KW   | 60HP  |        | 91A  |  | 44,380,000    |
| SV550IP5A-4OL                  | 55KW   | 75HP  |        | 110A |  | 52,470,000    |
| SV750IP5A-4OL                  | 75KW   | 100HP |        | 152A |  | 58,640,000    |
| SV900IP5A-4OL                  | 90KW   | 125HP |        | 183A |  | 66,490,000    |
| SV1100IP5A-4OL                 | 110KW  | 150HP |        | 223A |  | 93,090,000    |
| SV1320IP5A-4OL                 | 132KW  | 175HP |        | 264A |  | 98,820,000    |
| SV1600IP5A-4OL                 | 160KW  | 215HP |        | 325A |  | 109,530,000   |
| SV2200IP5A-4OL                 | 220KW  | 300HP |        | 432A |  | 154,530,000   |
| SV2800IP5A-4OL                 | 280KW  | 350HP |        | 547A |  | 189,400,000   |
| SV3150IP5A-4O                  | 315KW  | 400HP |        | 613A | 3 pha, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.01~120Hz, tích hợp bàn phím  | 365,060,000   |
| SV3750IP5A-4O                  | 375KW  | 500HP |        | 731A |  | 443,290,000   |
| SV4500IP5A-4O                  | 450KW  | 600HP |        | 877A |  | 472,110,000   |
| <b>Phụ kiện dùng cho iP5A:</b> |        |       |        |      |  |               |
| SV-IP5A LCD Key pad            |        |       |        |      | Bảng điều khiển màn hình màu dùng cho iP5A   | 590,000       |
| Remote cable 2m (for IP5A )    |        |       |        |      | Cáp kết nối bảng điều khiển và biến tần iP5 loại 2 mét   | 270,000       |
| Remote cable 3m (for IP5A )    |        |       |        |      | Cáp kết nối bảng điều khiển và biến tần iP5 loại 3 mét   | 290,000       |

**- GHI CHÚ:**

\*\*HD(Heavy Duty) Overload 150% 1min.

\*\*ND(Normal Duty): Overload 110% or 120% 1min

# BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



| Tên hàng  | KW         | HP    | In (A)    | Mô tả     | Đơn giá (VND)  |
|---|------------|-------|-----------|-----------|--|
| <b>Loại 1 pha 200~240VAC (Protection degree IP20)</b> |            |       | <b>HD</b> | <b>ND</b> | <b>Semi-Dual rating, V/f, sensorless vector control, RS485 (LS Bus / Modbus RTU), Safety Torque off, Pulse train I/O/ Các ứng dụng cơ bản (bơm, quạt, băng tải, máy nén, máy cán...)</b> |
| LSLV0004S100-1EONNS                                   | 0.4/0.75kw | 1/2HP | 2.5A      | -         | 4,400,000  |
| LSLV0008S100-1EONNS                                   | 0.75/1.5kw | 1HP   | 5A        | -         | 4,720,000  |
| LSLV0015S100-1EONNS                                   | 1.5/2.2kw  | 2HP   | 8A        | -         | 5,310,000  |
| LSLV0022S100-1EONNS                                   | 2.2/3.7kw  | 3HP   | 11A       | -         | 5,690,000  |
| <b>Loại 3 Pha 200~240VAC (Protection degree IP20)</b> |            |       | <b>HD</b> | <b>ND</b> | <b>Semi-Dual rating, V/f, sensorless vector control, RS485 (LS Bus / Modbus RTU), Safety Torque off, Pulse train I/O/ Các ứng dụng cơ bản (bơm, quạt, băng tải...)</b>                   |
| LSLV0004S100-2EONNS                                   | 0.4/0.75kw | 1/2HP | 2.5A      | -         | 3,690,000  |
| LSLV0008S100-2EONNS                                   | 0.75/1.5kw | 1HP   | 5A        | -         | 3,990,000  |
| LSLV0015S100-2EONNS                                   | 1.5/2.2kw  | 2HP   | 8A        | -         | 4,610,000  |
| LSLV0022S100-2EONNS                                   | 2.2/3.7kw  | 3HP   | 11A       | -         | 5,310,000  |
| LSLV0037S100-2EONNS                                   | 3.7/4kw    | 5HP   | 16A       | -         | 6,020,000  |
| LSLV0040S100-2EONNS                                   | 4/5.5kw    | 5.4HP | 17A       | -         | 6,020,000  |
| LSLV0055S100-2EONNS                                   | 5.5/7.5kw  | 7.5HP | 24A       | -         | 8,620,000  |
| LSLV0075S100-2EONNS                                   | 7.5/11kw   | 10HP  | 32A       | -         | 9,650,000  |
| LSLV0110S100-2EONNS                                   | 11/15kw    | 15HP  | 46A       | -         | 15,420,000   |
| LSLV0150S100-2EONNS                                   | 15/18.5kw  | 20HP  | 60A       | -         | 17,870,000   |
| <b>Loại 3 Pha 380~480VAC (Protection degree IP20)</b> |            |       | <b>HD</b> | <b>ND</b> | <b>Semi-Dual rating, V/f, sensorless vector control, RS485 (LS Bus / Modbus RTU), Safety Torque off, Pulse train I/O/ Các ứng dụng cơ bản (bơm, quạt, băng tải...)</b>                   |
| LSLV0004S100-4EONNS                                   | 0.4/0.75kw | 1/2HP | 1.25A     | -         | 3,960,000  |
| LSLV0008S100-4EONNS                                   | 0.75/1.5kw | 1HP   | 2.5A      | -         | 4,180,000  |
| LSLV0015S100-4EONNS                                   | 1.5/2.2kw  | 2HP   | 4A        | -         | 4,580,000  |
| LSLV0022S100-4EONNS                                   | 2.2/3.7kw  | 3HP   | 5.5A      | -         | 5,210,000  |
| LSLV0037S100-4EONNS                                   | 3.7/4kw    | 5HP   | 8A        | -         | 6,210,000  |
| LSLV0040S100-4EONNS                                   | 4/5.5kw    | 5.4HP | 9A        | -         | 6,210,000  |
| LSLV0055S100-4EONNS                                   | 5.5/7.5kw  | 7.5HP | 12A       | -         | 8,360,000  |
| LSLV0075S100-4EONNS                                   | 7.5/11kw   | 10HP  | 16A       | -         | 9,130,000  |
| LSLV0110S100-4EONNS                                   | 11/15kw    | 15HP  | 24A       | -         | 14,670,000   |
| LSLV0150S100-4EONNS                                   | 15/18.5kw  | 20HP  | 30A       | -         | 16,240,000   |
| LSLV0185S100-4EONNS                                   | 18.5/22kw  | 25HP  | 39A       | -         | 19,020,000   |
| LSLV0220S100-4EONNS                                   | 22/30kw    | 30HP  | 45A       | -         | 21,560,000   |
| LSLV0300S100-4CONDS                                   | 30/37kw    | 40HP  | 61A       | -         | 33,810,000   |
| LSLV0370S100-4CONDS                                   | 37/45kw    | 50HP  | 75A       | -         | 38,070,000   |
| LSLV0450S100-4CONDS                                   | 45/55kw    | 60HP  | 91A       | -         | 43,410,000   |
| LSLV0550S100-4CONDS                                   | 55/75kw    | 75HP  | 110A      | -         | 49,710,000   |
| LSLV0750S100-4CONDS                                   | 75/90kw    | 100HP | 152A      | -         | 54,370,000   |



# BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



| Tên hàng   | KW         | HP    | In (A)    |           | Mô tả  | Đơn giá (VNĐ) |
|--|------------|-------|-----------|-----------|--|---------------|
| <b>Loại 3 Pha 200~230VAC (Protection degree IP66 (NEMA4X))</b>   |            |       | <b>HD</b> | <b>ND</b> | <b>Semi-Dual rating, V/f, sensorless vector control, RS485 (LS Bus / Modbus RTU), Safety Torque off, Pulse train I/O/ Các ứng dụng cơ bản (bơm, quạt, băng tải...)</b> |               |
| LSLV0004S100-2EXNNS  | 0.4/0.75kw | 1/2HP | 2.5A      | -         | 3 phase, 200~240VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím, điện trở thắng, control terminal I/O 5mm pitch   | 7,370,000     |
| LSLV0008S100-2EXNNS  | 0.75/1.5kw | 1HP   | 5A        | -         |  | 7,970,000     |
| LSLV0015S100-2EXNNS  | 1.5/2.2kw  | 2HP   | 8A        | -         |  | 9,220,000     |
| LSLV0022S100-2EXNNS  | 2.2/3.7kw  | 3HP   | 11A       | -         |  | 10,620,000    |
| LSLV0037S100-2EXNNS  | 3.7/4kw    | 5HP   | 16A       | -         |  | 10,830,000    |
| LSLV0040S100-2EXNNS  | 4/5.5kw    | 5.4HP | 17A       | -         |  | 10,830,000    |
| LSLV0055S100-2EXNNS  | 5.5/7.5kw  | 7.5HP | 24A       | -         |  | 13,800,000    |
| LSLV0075S100-2EXNNS  | 7.5/11kw   | 10HP  | 32A       | -         |  | 15,440,000    |
| LSLV0110S100-2EXNNS  | 11/15kw    | 15HP  | 46A       | -         |  | 23,120,000    |
| LSLV0150S100-2EXNNS  | 15/18.5kw  | 20HP  | 60A       | -         |  | 26,810,000    |
| <b>Loại 3 Phase 380~480VAC (Protection degree IP66 (NEMA4X))</b> |            |       | <b>HD</b> | <b>ND</b> | <b>Semi-Dual rating, V/f, sensorless vector control, RS485 (LS Bus / Modbus RTU), Safety Torque off, Pulse train I/O/ Các ứng dụng cơ bản (bơm, quạt, băng tải...)</b> |               |
| LSLV0004S100-4EXNNS  | 0.4/0.75kw | 1/2HP | 1.25A     | -         | 3 phase, 380~480VAC(+10%,-15%), 50~60Hz(±5%), 0.1~400Hz, tích hợp bàn phím, điện trở thắng, control terminal I/O 5mm pitch   | 7,900,000     |
| LSLV0008S100-4EXNNS  | 0.75/1.5kw | 1HP   | 2.5A      | -         |  | 8,360,000     |
| LSLV0015S100-4EXNNS  | 1.5/2.2kw  | 2HP   | 4A        | -         |  | 9,170,000     |
| LSLV0022S100-4EXNNS  | 2.2/3.7kw  | 3HP   | 5.5A      | -         |  | 10,420,000    |
| LSLV0037S100-4EXNNS  | 3.7/4kw    | 5HP   | 8A        | -         |  | 11,180,000    |
| LSLV0040S100-4EXNNS  | 4/5.5kw    | 5.4HP | 9A        | -         |  | 11,180,000    |
| LSLV0055S100-4EXNNS  | 5.5/7.5kw  | 7.5HP | 12A       | -         |  | 12,550,000    |
| LSLV0075S100-4EXNNS  | 7.5/11kw   | 10HP  | 16A       | -         |  | 13,910,000    |
| LSLV0110S100-4EXNNS  | 11/15kw    | 15HP  | 24A       | -         |  | 19,670,000    |
| LSLV0150S100-4EXNNS  | 15/18.5kw  | 20HP  | 30A       | -         |  | 21,730,000    |
| LSLV0185S100-4EXNNS  | 18.5/22kw  | 25HP  | 39A       | -         |  | 24,060,000    |
| LSLV0220S100-4EXNNS  | 22/30kw    | 30HP  | 45A       | -         |  | 26,130,000    |
| <b>Phụ kiện dùng cho LSLV S100:</b>                              |            |       |           |           |  |               |
| CANOpen(LSLV-S100),CCAN-S100                                     |            |       |           |           |  | 2,080,000     |
| Profibus-DP(LSLV-S100),CPDP-S100                                 |            |       |           |           |  | 3,230,000     |
| Ethernet(LSLV-S100),CENT-S100                                    |            |       |           |           |  | 1,850,000     |

- **GHI CHÚ:**

\*\***HD**(Heavy Duty) Overload 150% 1min.

\*\***ND**(Normal Duty): Overload 110% or 120% 1min

# BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



| Tên hàng  |                      | Mô tả   | Đơn giá (VNĐ) |
|---|----------------------|---|---------------|
| <b>Dynamic Braking Unit (DBU) Bộ Transistor để gắn Điện trở xả vào.</b> |                      |   |               |
| <b>Dynamic Braking Unit (DBU) - 200~230V</b>                            |                      |   |               |
|   | LSLV0150DBU-2LN      | Brake unit for 15kW, 220V / 150% Average Braking Torque / 5~10%ED (Enable Duty)   | 3,150,000     |
|   | LSLV0220DBU-2LN      | Brake unit for 22kW, 220V / 150% Average Braking Torque / 5~10%ED (Enable Duty)   | 3,650,000     |
|   | LSLV0370DBU-2LN      | Brake unit for 37kW, 220V / 150% Average Braking Torque / 5~10%ED (Enable Duty)   | 4,360,000     |
|   | LSLV0370DBU-2HN      | Brake unit for 37kW, 220V / 150% Average Braking Torque / 5~50%ED (Enable Duty)   | 10,040,000    |
|   | LSLV0750DBU-2LN      | Brake unit for 75kW, 220V / 150% Average Braking Torque / 5~10%ED (Enable Duty)   | 5,630,000     |
|   | LSLV0750DBU-2HN      | Brake unit for 75kW, 220V / 150% Average Braking Torque / 5~50%ED (Enable Duty)   | 14,350,000    |
|   | LSLV0900DBU-2HN      | Brake unit for 90kW, 220V / 150% Average Braking Torque / 5~50%ED (Enable Duty)   | 16,070,000    |
| <b>Dynamic Braking Unit (DBU) - 380~400V</b>                            |                      |   |               |
|   | LSLV0150DBU-4LN      | Brake unit for 15kW, 440V / 150% Average Braking Torque / 5~10%ED (Enable Duty)   | 3,150,000     |
|   | LSLV0220DBU-4LN      | Brake unit for 22kW, 440V / 150% Average Braking Torque / 5~10%ED (Enable Duty)   | 3,650,000     |
|   | LSLV0370DBU-4LN      | Brake unit for 37kW, 440V / 150% Average Braking Torque / 5~10%ED (Enable Duty)   | 4,360,000     |
|   | LSLV0370DBU-4HN      | Brake unit for 37kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)   | 9,570,000     |
|   | LSLV0750DBU-4LN      | Brake unit for 75kW, 440V / 150% Average Braking Torque / 5~10%ED (Enable Duty)   | 5,630,000     |
|   | LSLV0750DBU-4HN      | Brake unit for 75kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)   | 13,670,000    |
|   | INV,SV750DB-4        | Brake unit for 75kW, 440V / 150% Average Braking Torque / 100%ED (Enable Duty), CE certificated   | 14,390,000    |
|   | LSLV0900DBU-4HN      | Brake unit for 90kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)   | 15,310,000    |
|   | LSLV1320DBU-4HN      | Brake unit for 132kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)  | 17,140,000    |
|   | LSLV1600DBU-4HN      | Brake unit for 160kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)  | 19,200,000    |
|   | LSLV2200DBU-4HN      | Brake unit for 220kW, 440V / 150% Average Braking Torque / 5~50%ED (Enable Duty)  | 19,930,000    |
|   | INV,SV2200DB-4       | Brake unit for 220kW, 440V / 150% Average Braking Torque / 100%ED (Enable Duty), CE certificated  | 20,980,000    |
| <b>External brake resistors (Điện trở xả)</b>                           |                      | <b>Temperature range: -50~200°C , Insulation resistance: over 100MΩ, Dielectric strength: AC 2,500V / 1 Min, Temperature coefficient: ±260 ppm / °C max</b> |               |
|   | MCRA 50W 1.8K OHM J  | 50 wat, 1800ohm resistor ( Based on 5% ED ( Enable duty))   | 110,000       |
|   | MCRA 100W 1.2K OHM J | 100 wat, 1200ohm resistor ( Based on 5% ED ( Enable duty))  | 120,000       |
|   | MCRA 200W 1.2K OHM J | 200 wat, 1200ohm resistor ( Based on 5% ED ( Enable duty))  | 210,000       |
|   | MCRA 100W 900 OHM J  | 100 wat, 900ohm resistor ( Based on 5% ED ( Enable duty))   | 120,000       |
|   | MCRA 150W 600 OHM J  | 150 wat, 600ohm resistor ( Based on 5% ED ( Enable duty))   | 150,000       |
|   | MCRA 200W 450 OHM J  | 200 wat, 450ohm resistor ( Based on 5% ED ( Enable duty))   | 210,000       |
|   | MCRA 50W 400 OHM J   | 50 wat, 400ohm resistor ( Based on 5% ED ( Enable duty))  | 110,000       |
|   | MCRA 100W 300 OHM J  | 100 wat, 300ohm resistor ( Based on 5% ED ( Enable duty))   | 120,000       |
|   | MCRA 200W 300 OHM J  | 200 wat, 300ohm resistor ( Based on 5% ED ( Enable duty))   | 210,000       |
|   | MCRA 100W 200 OHM J  | 100 wat, 200ohm resistor ( Based on 5% ED ( Enable duty))   | 120,000       |
|   | MCRA 150W 150 OHM J  | 150 wat, 150ohm resistor ( Based on 5% ED ( Enable duty))   | 150,000       |
|   | MCRA 200W 100 OHM J  | 200 wat, 100ohm resistor ( Based on 5% ED ( Enable duty))   | 210,000       |
|   | MCRF 300W 600 OHM J  | 300 wat, 600ohm resistor ( Based on 5% ED ( Enable duty))   | 360,000       |

# BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



| Tên hàng  |                        | Mô tả  | Đơn giá (VNĐ)    |
|---|------------------------|--|------------------|
|   | MCRF 300W 300 OHM J    | 300 wat, 300ohm resistor ( Based on 5% ED ( Enable duty))  | <b>360,000</b>   |
|   | MCRF 600W 300 OHM J    | 600 wat, 300ohm resistor ( Based on 5% ED ( Enable duty))  | <b>520,000</b>   |
|   | MCRF 400W 200 OHM J    | 400 wat, 200ohm resistor ( Based on 5% ED ( Enable duty))  | <b>440,000</b>   |
|   | MCRF 800W 200 OHM J    | 800 wat, 200ohm resistor ( Based on 5% ED ( Enable duty))  | <b>580,000</b>   |
|   | MCRF 300W 150 OHM J    | 300 wat, 150ohm resistor ( Based on 5% ED ( Enable duty))  | <b>360,000</b>   |
|   | MCRF 600W 130 OHM J    | 600 wat, 130ohm resistor ( Based on 5% ED ( Enable duty))  | <b>520,000</b>   |
|   | MCRF 1.2kW 130 OHM J   | 1200 wat, 130ohm resistor ( Based on 5% ED ( Enable duty))   | <b>720,000</b>   |
|   | MCRF 700W 120 OHM J    | 700 wat, 120ohm resistor ( Based on 5% ED ( Enable duty))  | <b>570,000</b>   |
|   | MCRF 1kW 90 OHM J      | 1000 wat, 90ohm resistor ( Based on 5% ED ( Enable duty))  | <b>620,000</b>   |
|   | MCRF 1kW 85 OHM J      | 1000 wat, 85ohm resistor ( Based on 5% ED ( Enable duty))  | <b>620,000</b>   |
|   | MCRF 2kW 85 OHM J      | 2000 wat, 85ohm resistor ( Based on 5% ED ( Enable duty))  | <b>1,190,000</b> |
|   | MCRF 300W 60 OHM J     | 300 wat, 60ohm resistor ( Based on 5% ED ( Enable duty))   | <b>360,000</b>   |
|   | MCRF 600W 60 OHM J     | 600 wat, 60ohm resistor ( Based on 5% ED ( Enable duty))   | <b>520,000</b>   |
|   | MCRF 1.2kW 60 OHM J    | 1200 wat, 60ohm resistor ( Based on 5% ED ( Enable duty))  | <b>720,000</b>   |
|   | MCRF 400W 50 OHM J     | 400 wat, 50ohm resistor ( Based on 5% ED ( Enable duty))   | <b>440,000</b>   |
|   | MCRF 800W 50 OHM J     | 800 wat, 50ohm resistor ( Based on 5% ED ( Enable duty))   | <b>580,000</b>   |
|   | MCRF 2kW 45 OHM J      | 2000 wat, 45ohm resistor ( Based on 5% ED ( Enable duty))  | <b>1,190,000</b> |
|   | MCRF 500W 40 OHM J     | 500 wat, 40ohm resistor ( Based on 5% ED ( Enable duty))   | <b>470,000</b>   |
|   | MCRF 2kW 40 OHM J      | 2000 wat, 40ohm resistor ( Based on 5% ED ( Enable duty))  | <b>1,190,000</b> |
|   | MCRF 1.6kW 33.9 OHM J  | 1600 wat, 33.9ohm resistor ( Based on 5% ED ( Enable duty))  | <b>910,000</b>   |
|   | MCRF 600W 33 OHM J     | 600 wat, 33ohm resistor ( Based on 5% ED ( Enable duty))   | <b>520,000</b>   |
|   | MCRF 1.2kW 33 OHM J    | 1200 wat, 33ohm resistor ( Based on 5% ED ( Enable duty))  | <b>720,000</b>   |
|   | MCRF 800W 20 OHM J     | 800 wat, 20ohm resistor ( Based on 5% ED ( Enable duty))   | <b>580,000</b>   |
|   | MCRF 1.6kW 20 OHM J    | 1600 wat, 20ohm resistor ( Based on 5% ED ( Enable duty))  | <b>910,000</b>   |
|   | MCRF 1.2kW 15 OHM J    | 1200 wat, 15ohm resistor ( Based on 5% ED ( Enable duty))  | <b>720,000</b>   |
|   | MCRF 1.6kW 8.5 OHM J   | 1600 wat, 8.5ohm resistor ( Based on 5% ED ( Enable duty))   | <b>910,000</b>   |
|   | MCRS 2.4kW 60 OHM J    | 2400 wat, 60ohm resistor ( Based on 5% ED ( Enable duty))  | <b>1,750,000</b> |
|   | MCRS 2.4kW 35 OHM J    | 2400 wat, 35ohm resistor ( Based on 5% ED ( Enable duty))  | <b>1,750,000</b> |
|   | MCRS 2.4kW 30 OHM J    | 2400 wat, 30ohm resistor ( Based on 5% ED ( Enable duty))  | <b>1,750,000</b> |
|   | MCRS 2.4kW 22.8 OHM J  | 2400 wat, 22.8ohm resistor ( Based on 5% ED ( Enable duty))  | <b>1,750,000</b> |
|   | MCRS 2.4kW 15 OHM J    | 2400 wat, 15ohm resistor ( Based on 5% ED ( Enable duty))  | <b>1,750,000</b> |
|   | MCRS 2.4kW 10 OHM J    | 2400 wat, 10ohm resistor ( Based on 5% ED ( Enable duty))  | <b>1,750,000</b> |
|   | MCRS 2.4kW 8 OHM J     | 2400 wat, 8ohm resistor ( Based on 5% ED ( Enable duty))   | <b>1,750,000</b> |
|   | MCRS 2.4kW 5.7 OHM J   | 2400 wat, 5.7ohm resistor ( Based on 5% ED ( Enable duty))   | <b>1,750,000</b> |
| <b>Brake resistors (Case package type with thermostat sensor)</b> |                        | <b>Temperature range: -50~200°C , Insulation resistance: over 20MΩ, Dielectric strength: AC 2,500V / 1 Min, Temperature coefficient: ±260 ppm / °C max, Thermostat sensor: B contact</b> |                  |
|   | MCRF-ST 1.2kW 60 OHM J | 1200 watt, 60 ohm resistor,  | <b>2,390,000</b> |
|   | MCRF-ST 2kW 45 OHM J   | 2000 watt, 45 ohm resistor   | <b>2,780,000</b> |
|   | MCRF-ST 2kW 40 OHM J   | 2000 watt, 40 ohm resistor   | <b>2,780,000</b> |



# BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



| Tên hàng                 | Mô tả                        | Đơn giá (VNĐ) |
|--------------------------|------------------------------|---------------|
| MCRF-ST 4kW 40 OHM J     | 4000 watt, 40 ohm resistor   | 4,700,000     |
| MCRF-ST 2.4kW 35 OHM     | 2400 watt, 35 ohm resistor   | 3,280,000     |
| MCRF-ST 1.6kW 33.9 OHM J | 1600 watt, 33.9 ohm resistor | 2,780,000     |
| MCRF-ST 2.4kW 30 OHM J   | 2400 watt, 30 ohm resistor   | 3,280,000     |
| MCRF-ST 4.8kW 30 OHM J   | 4800 watt, 30 ohm resistor   | 5,620,000     |
| MCRF-ST 2.4kW 22.8 OHM J | 2400 watt, 30 ohm resistor   | 3,280,000     |
| MCRF-ST 3.6kW 20 OHM J   | 3600 watt, 20 ohm resistor   | 4,150,000     |
| MCRF-ST 7.2kW 20 OHM J   | 7200 watt, 20 ohm resistor   | 6,840,000     |
| MCRF-ST 3.2kW 16.9 OHM J | 3200 watt, 16.9 ohm resistor | 4,150,000     |
| MCRF-ST 1.2kW 15 OHM J   | 1200 watt, 15 ohm resistor   | 2,390,000     |
| MCRF-ST 5kW 12 OHM J     | 5000 watt, 12 ohm resistor   | 5,620,000     |
| MCRF-ST 10kW 12 OHM J    | 10000 watt, 12 ohm resistor  | 9,570,000     |
| MCRF-ST 4.8kW 11.4 OHM J | 4800 watt, 11.4 ohm resistor | 5,620,000     |
| MCRF-ST 2.4kW 10 OHM J   | 2400 watt, 10 ohm resistor   | 3,280,000     |
| MCRF-ST 4.8kW 10 OHM J   | 4800 watt, 10 ohm resistor   | 5,620,000     |
| MCRF-ST 6.4kW 10 OHM J   | 6400 watt, 10 ohm resistor   | 6,800,000     |
| MCRF-ST 12.8kW 10 OHM J  | 12800 watt, 10 ohm resistor  | 12,200,000    |
| MCRF-ST 1.6kW 8.5 OHM J  | 1600 watt, 8.5 ohm resistor  | 2,780,000     |
| MCRF-ST 6.4kW 8.4 OHM J  | 6400 watt, 8.4 ohm resistor  | 6,800,000     |
| MCRF-ST 7.2kW 8.4 OHM J  | 7200 watt, 8.4 ohm resistor  | 6,840,000     |
| MCRF-ST 14.4kW 8.4 OHM J | 14400 watt, 8.4 ohm resistor | 12,670,000    |
| MCRF-ST 2.4kW 8 OHM J    | 2400 watt, 8 ohm resistor    | 3,280,000     |
| MCRF-ST 4.8kW 8 OHM J    | 4800 watt, 8 ohm resistor    | 5,620,000     |
| MCRF-ST 10kW 6 OHM J     | 10000 watt, 6 ohm resistor   | 9,570,000     |
| MCRF-ST 20kW 6 OHM J     | 20000 watt, 6 ohm resistor   | 17,820,000    |
| MCRF-ST 2.4kW 5.7 OHM J  | 2400 watt, 5.7 ohm resistor  | 3,280,000     |
| MCRF-ST 3.6kW 5 OHM J    | 3600 watt, 5 ohm resistor    | 4,150,000     |
| MCRF-ST 7.2kW 5 OHM J    | 7200 watt, 5 ohm resistor    | 6,840,000     |
| MCRF-ST 13kW 5 OHM J     | 13000 watt, 5 ohm resistor   | 12,200,000    |
| MCRF-ST 26kW 5 OHM J     | 26000 watt, 5 ohm resistor   | 24,860,000    |
| MCRF-ST 3.2kW 4.2 OHM J  | 3200 watt, 4.2 ohm resistor  | 4,150,000     |
| MCRF-ST 16kW 4 OHM J     | 16000 watt, 4 ohm resistor   | 16,420,000    |
| MCRF-ST 32kW 4 OHM J     | 32000 watt, 4 ohm resistor   | 29,550,000    |
| MCRF-ST 20kW 3.4 OHM J   | 20000 watt, 3.4 ohm resistor | 17,820,000    |
| MCRF-ST 40kW 3.4 OHM J   | 40000 watt, 3.4 ohm resistor | 34,710,000    |
| MCRF-ST 5kW 3 OHM J      | 5000 watt, 3 ohm resistor    | 5,620,000     |
| MCRF-ST 10kW 3 OHM J     | 10000 watt, 3 ohm resistor   | 9,570,000     |
| MCRF-ST 4.8kW 2.8 OHM J  | 4800 watt, 2.8 ohm resistor  | 5,620,000     |
| MCRF-ST 24kW 2.8 OHM J   | 24000 watt, 2.8 ohm resistor | 23,450,000    |

# BẢNG GIÁ BIẾN TẦN LS - HÀN QUỐC

(Áp dụng từ ngày 20-04-2018)



| Tên hàng |                        | Mô tả                        | Đơn giá (VNĐ)     |
|----------|------------------------|------------------------------|-------------------|
|          | MCRF-ST 48kW 2.8 OHM J | 48000 watt, 2.8 ohm resistor | <b>42,210,000</b> |
|          | MCRF-ST 6kW 2.4 OHM J  | 6000 watt, 2.4 ohm resistor  | <b>6,330,000</b>  |
|          | MCRF-ST 12kW 2.4 OHM J | 12000 watt, 2.4 ohm resistor | <b>11,720,000</b> |
|          | MCRF-ST 26kW 2.4 OHM J | 26000 watt, 2.4 ohm resistor | <b>24,860,000</b> |
|          | MCRF-ST 52kW 2.4 OHM J | 52000 watt, 2.4 ohm resistor | <b>57,690,000</b> |
|          | MCRF-ST 7.5kW 2 OHM J  | 7500 watt, 2 ohm resistor    | <b>7,510,000</b>  |
|          | MCRF-ST 15kW 2 OHM J   | 15000 watt, 2 ohm resistor   | <b>12,670,000</b> |
|          | MCRF-ST 30kW 2 OHM J   | 30000 watt, 2 ohm resistor   | <b>26,970,000</b> |
|          | MCRF-ST 60kW 2 OHM J   | 60000 watt, 2 ohm resistor   | <b>60,980,000</b> |
|          | MCRF-ST 10kW 1.5 OHM J | 10000 watt, 1.5 ohm resistor | <b>9,570,000</b>  |
|          | MCRF-ST 20kW 1.5 OHM J | 20000 watt, 1.5 ohm resistor | <b>17,820,000</b> |
|          | MCRF-ST 13kW 1.2 OHM J | 13000 watt, 1.2 ohm resistor | <b>12,200,000</b> |
|          | MCRF-ST 26kW 1.2 OHM J | 26000 watt, 1.2 ohm resistor | <b>24,860,000</b> |