

BẢNG GIÁ PLC LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng		Diễn Giải	Đơn giá (VNĐ)
XBM	XBM-DN16S	DC24 power supply, 8 DC24V input, 8 TR(NPN) output, Built-in Positioning Function	5,600,000
	XBM-DR16S	DC24 power supply, 8 DC24V input, 8 Relay output	6,350,000
	XBM-DN32S	DC24 power supply, 16 DC24V input, 16 TR(NPN) output, Built-in Positioning Function	6,700,000
	XBM-DN32H	DC24 power supply, 16 DC24V input, 16 TR(NPN) output, Built-in Positioning Function 2axis, Built-in Ethernet	9,200,000
	XBM-DN32H2	DC24 power supply, 16 DC24V input, 16 TR(NPN) output, Built-in Positioning Function 2axis, Built-in Ethernet	10,100,000
	XBM-DN32HP	DC24 power supply, 16 DC24V input, 16 TR(NPN) output, Built-in Positioning Function 6axis, Built-in Ethernet	10,200,000
	XBM-DP32H2	DC24 power supply, 16 DC24V input, 16 TR(PNP) output, Built-in Positioning Function 2axis, Built-in Ethernet	10,800,000
	XBM-DP32HP	DC24 power supply, 16 DC24V input, 16 TR(PNP) output, Built-in Positioning Function 6axis, Built-in Ethernet	11,100,000
XEM	XEM-DN32H2	DC24 power supply, 16 DC24V input, 16 TR(NPN) output, Built-in Positioning Function 2axis, Built-in Ethernet	10,100,000
	XEM-DN32HP	DC24 power supply, 16 DC24V input, 16 TR(NPN) output, Built-in Positioning Function 6axis, Built-in Ethernet	10,200,000
	XEM-DP32H2	DC24 power supply, 16 DC24V input, 16 TR(PNP) output, Built-in Positioning Function 2axis, Built-in Ethernet	10,800,000
	XEM-DP32HP	DC24 power supply, 16 DC24V input, 16 TR(PNP) output, Built-in Positioning Function 6axis, Built-in Ethernet	11,100,000
XBC-H	XBC-DR32H	AC110/240V power supply, 16 DC24 input, 16 Relay output, Built-in Positioning Function	9,400,000
	XBC-DN32H	AC110/240V power supply, 16 DC24 input, 16 TR(NPN) output, Built-in Positioning Function	9,400,000
	XBC-DR64H	AC110/240V power supply, 32 DC24 input, 32 Relay output, Built-in Positioning Function	12,800,000
	XBC-DN64H	AC110/240V power supply, 32 DC24 input, 32 TR(NPN) output, Built-in Positioning Function	12,800,000
	XBC-DR32H/DC	DC24V power supply, 16 DC24 input, 16 Realy output, Built-in Positioning Function	9,900,000
	XBC-DN32H/DC	DC24V power supply, 16 DC24 input, 16 TR(NPN) output, Built-in Positioning Function	9,400,000
	XBC-DR64H/DC	DC24V power supply, 32 DC24 input, 32 Realy output, Built-in Positioning Function	12,800,000
	XBC-DN64H/DC	DC24V power supply, 32 DC24 input, 32 TR(NPN) output, Built-in Positioning Function	12,800,000
XEC-H	XEC-DR32H	AC110/240V power supply, 16 DC24 input, 16 Relay output, Built-in Positioning Function	9,500,000
	XEC-DN32H	AC110/240V power supply, 16 DC24 input, 16 TR(NPN) output, Built-in Positioning Function	9,500,000
	XEC-DR64H	AC110/240V power supply, 32 DC24 input, 32 Relay output, Built-in Positioning Function	12,800,000
	XEC-DN64H	AC110/240V power supply, 32 DC24 input, 32 TR(NPN) output, Built-in Positioning Function	12,800,000

BẢNG GIÁ PLC LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng		Diễn Giải	Đơn giá (VNĐ)
	XEC-DP32H	AC110/240V power supply, 16 DC24 input, 16 TR(PNP) output, Built-in Positioning Function	10,300,000
	XEC-DP64H	AC110/240V power supply, 32 DC24 input, 32 TR(PNP) output, Built-in Positioning Function	14,500,000
	XEC-DR32H/D1	DC12~24V power supply, 16 DC24 input, 16 Relay	10,800,000
	XEC-DR64H/D1	DC12~24V power supply, 32 DC24 input, 32 Relay	13,500,000
XBC-E	XBC-DR10E	AC110/240V power supply, 6 DC24 input, 4 Relay output	4,100,000
	XBC-DN10E	AC110/240V power supply, 6 DC24 input, 4 Tr. (NPN) output	4,100,000
	XBC-DP10E	AC110/240V power supply, 6 DC24 input, 4 Tr. (PNP) output	4,650,000
	XBC-DR14E	AC110/240V power supply, 8 DC24 input, 6 Relay output	4,400,000
	XBC-DN14E	AC110/240V power supply, 8 DC24 input, 6 Tr. (NPN) output	4,550,000
	XBC-DP14E	AC110/240V power supply, 8 DC24 input, 6 Tr. (PNP) output	4,550,000
	XBC-DR20E	AC110/240V power supply, 12 DC24 input, 8 Relay output	5,550,000
	XBC-DN20E	AC110/240V power supply, 12 DC24 input, 8 Tr. (NPN) output	5,550,000
	XBC-DP20E	AC110/240V power supply, 12 DC24 input, 8 Tr. (PNP) output	5,550,000
	XBC-DR30E	AC110/240V power supply, 18 DC24 input, 12 Relay output	6,200,000
	XBC-DN30E	AC110/240V power supply, 18 DC24 input, 12 Tr. (NPN) output	6,200,000
	XBC-DP30E	AC110/240V power supply, 18 DC24 input, 12 Tr. (PNP) output	6,350,000
XEC-E	XEC-DR10E	AC110/240V power supply, 6 DC24 input, 4 Relay output	4,150,000
	XEC-DN10E	AC110/240V power supply, 6 DC24 input, 4 Tr. (NPN) output	4,250,000
	XEC-DP10E	AC110/240V power supply, 6 DC24 input, 4 Tr. (PNP) output	4,250,000
	XEC-DR14E	AC110/240V power supply, 8 DC24 input, 6 Relay output	4,400,000
	XEC-DN14E	AC110/240V power supply, 8 DC24 input, 6 Tr. (NPN) output	4,500,000
	XEC-DP14E	AC110/240V power supply, 8 DC24 input, 6 Tr. (PNP) output	4,500,000
	XEC-DR20E	AC110/240V power supply, 12 DC24 input, 8 Relay output	5,500,000
	XEC-DN20E	AC110/240V power supply, 12 DC24 input, 8 Tr. (NPN) output	5,500,000
	XEC-DP20E	AC110/240V power supply, 12 DC24 input, 8 Tr. (PNP) output	5,500,000
	XEC-DR30E	AC110/240V power supply, 18 DC24 input, 12 Relay output	6,200,000
	XEC-DN30E	AC110/240V power supply, 18 DC24 input, 12 Tr. (NPN) output	6,200,000
	XEC-DP30E	AC110/240V power supply, 18 DC24 input, 12 Tr. (PNP) output	6,200,000
	XBC-DN20SU	AC110/240V power supply, 12 DC24 input, 8 Tr.output (NPN)	7,400,000

BẢNG GIÁ PLC LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng		Diễn Giải	Đơn giá (VNĐ)
XBC-SU	XBC-DR20SU	AC110/240V power supply, 12 DC24 input, 8 Relay output	7,600,000
	XBC-DP20SU	AC110/240V power supply, 12 DC24 input, 8 Tr.output (PNP)	7,550,000
	XBC-DN30SU	AC110/240V power supply, 18 DC24 input, 12Tr.output(NPN)	7,800,000
	XBC-DR30SU	AC110/240V power supply, 18 DC24 input, 12 Relay output	7,700,000
	XBC-DP30SU	AC110/240V power supply, 18 DC24 input, 12Tr.output(PNP)	8,000,000
	XBC-DN40SU	AC110/240V power supply, 24 DC24 input, 16Tr.output(NPN)	9,450,000
	XBC-DR40SU	AC110/240V power supply, 24 DC24 input, 16 Relay output	9,450,000
	XBC-DP40SU	AC110/240V power supply, 24 DC24 input, 16Tr.output(PNP)	9,700,000
	XBC-DN60SU	AC110/240V power supply, 32 DC24 input, 28Tr.output(NPN)	11,700,000
	XBC-DR60SU	AC110/240V power supply, 32 DC24 input, 28 Relay output	11,700,000
	XBC-DP60SU	AC110/240V power supply, 32 DC24 input, 28Tr.output(PNP)	12,000,000
XEC-SU	XEC-DN20SU	AC110/240V power supply, 12 DC24 input, 8 Tr.output(NPN)	7,400,000
	XEC-DR20SU	AC110/240V power supply, 12 DC24 input, 8 Relay output	7,650,000
	XEC-DP20SU	AC110/240V power supply, 12 DC24 input, 8 Tr.output(PNP)	7,600,000
	XEC-DN30SU	AC110/240V power supply, 18 DC24 input, 12Tr.output(NPN)	7,800,000
	XEC-DR30SU	AC110/240V power supply, 18 DC24 input, 12 Relay output	7,700,000
	XEC-DP30SU	AC110/240V power supply, 18 DC24 input, 12Tr.output(PNP)	8,000,000
	XEC-DN40SU	AC110/240V power supply, 24 DC24 input, 16Tr.output(NPN)	9,450,000
	XEC-DR40SU	AC110/240V power supply, 24 DC24 input, 16 Relay output	9,450,000
	XEC-DP40SU	AC110/240V power supply, 24 DC24 input, 16Tr.output(PNP)	9,450,000
	XEC-DN60SU	AC110/240V power supply, 32 DC24 input, 28 Tr.output(NPN)	11,700,000
	XEC-DR60SU	AC110/240V power supply, 32 DC24 input, 28 Relay output	11,700,000
	XEC-DP60SU	AC110/240V power supply, 32 DC24 input, 28Tr.output(PNP)	11,700,000
XBC-U (AC)	XBC-DN32U	AC110/240V power supply, 16 DC24 input, 16 TR(NPN : Sink) output	14,800,000
	XBC-DN32UA	AC110/240V power supply, 16 DC24 input, 16 TR(NPN : Sink) output, Built-in Analog	22,700,000
	XBC-DN32UP	AC110/240V power supply, 16 DC24 input, 16 TR(NPN : Sink) output, Built-in Positioning Function	23,800,000
	XBC-DP32U	AC110/240V power supply, 16 DC24 input, 16 TR(PNP : Source) output	14,800,000
	XBC-DP32UA	AC110/240V power supply, 16 DC24 input, 16 TR((PNP : Source) output, Built-in Analog	22,700,000

BẢNG GIÁ PLC LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng		Diễn Giải	Đơn giá (VNĐ)
	XBC-DP32UP	AC110/240V power supply, 16 DC24 input, 16 TR((PNP : Source) output, Built-in Positioning Function	23,800,000
	XBC-DR28U	AC110/240V power supply, 16 DC24 input, 12 Relay output output	14,800,000
	XBC-DR28UA	AC110/240V power supply, 16 DC24 input, 12 Relay output, Built-in Analog	22,700,000
	XBC-DR28UP	AC110/240V power supply, 16 DC24 input, 12 Relay output, Built-in Positioning Function	23,800,000
XBC-U (DC)	XBC-DN32U/DC	DC24V power supply, 16 DC24 input, 16 TR(NPN : Sink) output	14,800,000
	XBC-DN32UA/DC	DC24V power supply, 16 DC24 input, 16 TR(NPN : Sink) output, Built-in Analog	22,700,000
	XBC-DN32UP/DC	DC24V power supply, 16 DC24 input, 16 TR(NPN : Sink) output, Built-in Positioning Function	23,800,000
	XBC-DP32U/DC	DC24V power supply, 16 DC24 input, 16 TR(PNP : Source) output	14,800,000
	XBC-DP32UA/DC	DC24V power supply, 16 DC24 input, 16 TR((PNP : Source) output, Built-in Analog	22,700,000
	XBC-DP32UP/DC	DC24V power supply, 16 DC24 input, 16 TR((PNP : Source) output, Built-in Positioning Function	23,800,000
	XBC-DR28U/DC	DC24V power supply, 16 DC24 input, 12 Relay output output	14,800,000
	XBC-DR28UA/DC	DC24V power supply, 16 DC24 input, 12 Relay output, Built-in Analog	22,700,000
	XBC-DR28UP/DC	DC24V power supply, 16 DC24 input, 12 Relay output, Built-in Positioning Function	23,800,000
XEC-U (AC)	XEC-DN32U	AC110/240V power supply, 16 DC24 input, 16 TR(NPN : Sink) output	14,800,000
	XEC-DN32UA	AC110/240V power supply, 16 DC24 input, 16 TR(NPN : Sink) output, Built-in Analog	22,700,000
	XEC-DN32UP	AC110/240V power supply, 16 DC24 input, 16 TR(NPN : Sink) output, Built-in Positioning Function	23,800,000
	XEC-DP32U	AC110/240V power supply, 16 DC24 input, 16 TR(PNP : Source) output	14,800,000
	XEC-DP32UA	AC110/240V power supply, 16 DC24 input, 16 TR(PNP : Source) output, Built-in Analog	22,700,000
	XEC-DP32UP	AC110/240V power supply, 16 DC24 input, 16 TR(PNP : Source) output, Built-in Positioning Function	23,800,000
	XEC-DR28U	AC110/240V power supply, 16 DC24 input, 12 Relay output output	14,800,000
	XEC-DR28UA	AC110/240V power supply, 16 DC24 input, 12 Relay output, Built-in Analog	22,700,000
	XEC-DR28UP	AC110/240V power supply, 16 DC24 input, 12 Relay output, Built-in Positioning Function	23,800,000
	XEC-DN32U/DC	DC24V power supply, 16 DC24 input, 16 TR(NPN : Sink) output	14,800,000
	XEC-DN32UA/DC	DC24V power supply, 16 DC24 input, 16 TR(NPN : Sink) output, Built-in Analog	22,700,000

BẢNG GIÁ PLC LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng		Diễn Giải	Đơn giá (VNĐ)
XEC-U (DC)	XEC-DN32UP/DC	DC24V power supply, 16 DC24 input, 16 TR(NPN : Sink) output, Built-in Positioning Function	23,800,000
	XEC-DP32U/DC	DC24V power supply, 16 DC24 input, 16 TR(PNP : Source) output	14,800,000
	XEC-DP32UA/DC	DC24V power supply, 16 DC24 input, 16 TR(PNP : Source) output, Built-in Analog	22,700,000
	XEC-DP32UP/DC	DC24V power supply, 16 DC24 input, 16 TR(PNP : Source) output, Built-in Positioning Function	23,800,000
	XEC-DR28U/DC	DC24V power supply, 16 DC24 input, 12 Relay output output	14,800,000
	XEC-DR28UA/DC	DC24V power supply, 16 DC24 input, 12 Relay output, Built-in Analog	22,700,000
	XEC-DR28UP/DC	DC24V power supply, 16 DC24 input, 12 Relay output, Built-in Positioning Function	23,800,000
Expension I/O	XBE-DC08A	DC24V input 8 points	2,300,000
	XBE-DC16A	DC24V input 16 points	2,500,000
	XBE-DC16B	DC12V/DC24V input 16 points	2,550,000
	XBE-DC32A	DC24V input 32 points	3,800,000
	XBE-AC08A	AC 110/220V Input 8 points	4,450,000
	XBE-RY08A	Relay output 8 points	2,500,000
	XBE-RY08B	Relay output 4 points, Seperated common	3,100,000
	XBE-RY16A	Relay output 16 points	3,100,000
	XBE-DR16A	DC24V input 8 points / Relay output 8 points	3,250,000
	XBE-TN08A	Transistor(NPN : Sink) output 8 points	2,400,000
	XBE-TN16A	Transistor(NPN : Sink) output 16 points	2,850,000
	XBE-TN32A	Transistor(NPN : Sink) output 32 points	3,800,000
	XBE-TP08A	Transistor(PNP : Source) output 8 points	2,400,000
	XBE-TP16A	Transistor(PNP : Source) output 16 points	2,850,000
	XBE-TP32A	Transistor(PNP : Source) output 32 points	3,800,000
	XBE-DN32A	DC24V input 16 points / Tr. output 16 points	4,800,000
Communication	XBL-C41A	Cnet (RS-422/485) I/F	5,100,000
	XBL-C21A	Cnet (RS-232C) I/F [modem communication]	5,100,000
	XBL-EIMT	RAPiEnet - LS Protocol based Ethernet	8,200,000
	XBL-EIMF	RAPiEnet - Fiber optic	13,300,000
	XBL-EIMH	RAPiEnet - Hybrid	11,400,000
	XBL-EMTA	Ethernet I/F	8,300,000
	XBL-CMEA	CANOpen Master	6,350,000
	XBL-CSEA	CANOpen Slave	6,350,000
	XBL-PMEC	Profibus Master	12,700,000
	XBL-PSEA	Profibus Slave	11,700,000
	XBL-RMEA	Rnet master	4,800,000
	XBL-DSEA	Dnet slave	10,700,000
	XBL-EIPT	Ethernet IP	10,800,000
	XBF-AD04A	4 Channel Analog input (Current/Voltage) (12BIT)	5,800,000
	XBF-AD08A	8 Channel Analog input (Current/Voltage) (12BIT)	8,700,000
	XBF-DC04A	4 Channel Analog output (Current) (12BIT)	5,800,000
	XBF-DV04A	4 Channel Analog output (Voltage) (12BIT)	5,800,000
	XBF-AH04A	2 Channel Analog input, 2 Channel Analog output	7,100,000

BẢNG GIÁ PLC LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng		Diễn Giải	Đơn giá (VNĐ)
Special	XBF-RD04A	4 Channel RTD (Resistance Temperature Detect) input	6,400,000
	XBF-RD01A	1 Channel RTD (Resistance Temperature Detect) input	5,650,000
	XBF-TC04S	4 Channel Thermocouple input	8,950,000
	XBF-PD02A	Pulse (OC) output 2 axis	6,500,000
	XBF-PN08B	EtherCAT standard 8 axis	12,700,000
	XBF-PN04B	EtherCAT standard 4 axis	12,100,000
	XBF-HO02A	HSC Open collector	5,850,000
	XBF-HD02A	HSC Line drive	5,850,000
	XBF-AD04C	4 Channel Analog input (Current/Voltage) (14BIT)	9,300,000
	XBF-DC04C	4 Channel Analog output (Current) (14BIT)	9,300,000
	XBF-DV04C	4 Channel Analog output (Voltage) (14BIT)	9,300,000
	XBF-LD02S	Loacell module, 2 channels	9,900,000
	XBF-TC04TT	Temperature controller. Thermocouple input	8,750,000
	XBF-TC04RT	Temperature controller. RTD input	8,750,000
Option board	XBO-M2MB	Program read/write, Program back up	3,100,000
	XBO-DC04A	DC input (High speed counter in XBC-xxxS)	2,200,000
	XBO-TN04A	TR output (Pulse output in XBC-xxxS)	2,100,000
	XBO-AD02A	Current/Voltage input 2Ch	3,900,000
	XBO-DA02A	Current/Voltage output 2Ch	3,900,000
	XBO-AH02A	Current/Voltage input 1Ch / output 1Ch	4,150,000
	XBO-RD01A	RTD 1Ch	4,150,000
	XBO-TC02A	Thermo couple 2Ch	4,400,000
	XBO-RTCA	Real Time Clock Pack	1,900,000
XGK CPU	XGK-CPUE	CPU Module, User Program Memory 16 Ksteps, 84ns/step, Max. 1,536 I/O, Built-in RS-232C, USB	6,700,000
	XGK-CPUS	CPU Module, User Program Memory 32 Ksteps, 84ns/step, Max. 3,072 I/O, Built-in RS-232C, USB	15,700,000
	XGK-CPUA	CPU Module, User Program Memory 32 Ksteps, 28ns/step, Max. 3,072 I/O, Built-in RS-232C, USB	23,600,000
	XGK-CPUH	CPU Module, User Program Memory 64 Ksteps, 28ns/step, Max. 6,144 I/O, Built-in RS-232C, USB	28,800,000
	XGK-CPUU	CPU Module, User Program Memory 128 Ksteps, 28ns/step, Max. 6,144 I/O, Built-in RS-232C, USB	42,800,000
	XGK-CPUSN	CPU Module, User Program Memory 64 Ksteps, 8.5ns/step, Max. 3,072 I/O, Built-in Ethernet, USB	16,500,000
	XGK-CPUHN	CPU Module, User Program Memory 128 Ksteps, 8.5ns/step, Max. 6,144 I/O, Built-in Ethernet, USB	30,200,000
	XGK-CPUUN	CPU Module, User Program Memory 256 Ksteps, 8.5ns/step, Max. 6,144 I/O, Built-in Ethernet, USB	44,900,000
XGI CPU	XGI-CPUE	CPU Module, User Program Memory 64 Kbytes, 84ns/step, Max. 1,536 I/O, Built-in RS-232C, USB	7,200,000
	XGI-CPUS	CPU Module, User Program Memory 128 Kbytes, 28ns/step, Max. 3,072 I/O, Built-in RS-232C, USB	15,700,000
	XGI-CPUH	CPU Module, User Program Memory 512 Kbytes, 28ns/step, Max. 6,144 I/O, Built-in RS-232C, USB	28,800,000
	XGI-CPUU	CPU Module, User Program Memory 1 Mbytes, 28ns/step, Max. 6,144 I/O, Built-in RS-232C, USB	42,800,000

BẢNG GIÁ PLC LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng		Diễn Giải	Đơn giá (VNĐ)
	XGI-CPUUN	CPU Module, User Program Memory 1 Mbytes, 28ns/step, Max. 6,144 I/O, Built-in Ethernet, USB	44,900,000
Power	XGP-ACF1	Power Supply Module, AC Free Voltage / DC5V 3A, DC24V 0.6A	3,500,000
	XGP-ACF2	Power Supply Module, AC Free Voltage / DC5V 6A	3,500,000
	XGP-AC23	Power Supply Module, AC 220V, DC5V 8A	3,800,000
	XGP-DC42	Power Supply Module, DC24V, DC5V 6A	3,950,000
Main Base	XGB-M04A	Base board (Main), 4 slots for I/O Module	4,600,000
	XGB-M06A	Base board (Main), 6 slots for I/O Module	5,150,000
	XGB-M08A	Base board (Main), 8 slots for I/O Module	5,900,000
	XGB-M12A	Base board (Main), 12 slots for I/O Module	7,200,000
Extansion Base	XGB-E04A	Base board (Ext.), 4 slots for I/O Module	5,300,000
	XGB-E06A	Base board (Ext.), 6 slots for I/O Module	5,400,000
	XGB-E08A	Base board (Ext.), 8 slots for I/O Module	6,700,000
	XGB-E12A	Base board (Ext.), 12 slots for I/O Module	8,000,000
Digital Input	XGI-A12A	AC 110V Input 16 points	3,600,000
	XGI-A21A	AC 220V Input 8 points	3,600,000
	XGI-D21A	DC 24V Input 8 points (Current Source Type)	2,200,000
	XGI-D22A	DC 24V Input 16 points (Current Sink/Source Type)	2,600,000
	XGI-D22B	DC 24V Input 16 points (Current Source Type)	2,600,000
	XGI-D24A	DC 24V Input 32 points (Current Sink/Source Type)	4,100,000
	XGI-D24B	DC 24V Input 32 points (Current Source Type)	4,100,000
	XGI-D28A	DC 24V Input 64 points (Current Sink/Source Type)	6,000,000
	XGI-D28B	DC 24V Input 64 points (Current Source Type)	6,000,000
Digital Output	XGQ-RY1A	Relay Output 8 points (AC 240V, DC24V 2A)	3,050,000
	XGQ-RY2A	Relay Output 16 points (AC 240V, DC24V 2A)	3,500,000
	XGQ-RY2B	Relay Output 16 points (AC 240V, DC24V 2A, Varistor, CR absorber)	4,200,000
	XGQ-SS2A	SSR(Current Sink Type) Output 16 points(AC 100~240V 1A)	5,450,000
	XGQ-TR2A	Tr.(NPN Type) Output 16 points(DC12/24V 0.5A)	2,600,000
	XGQ-TR2B	Tr.(PNP Type) Output 16 points(DC12/24V 0.5A)	2,730,000
	XGQ-TR4A	Tr.(NPN Type) Output 32 points(DC12/24V 0.1A)	4,100,000
	XGQ-TR4B	Tr.(PNP Type) Output 32 points(DC12/24V 0.1A)	4,100,000
	XGQ-TR8A	Tr.(NPN Type) Output 64 points(DC12/24V 0.1A)	6,000,000
	XGQ-TR8B	Tr.(PNP Type) Output 64 points(DC12/24V 0.1A)	6,000,000
Hybrid Digital I/O	XGH-DT4A	DC 24V input 16 points(current source / sink input), Tr.(NPN Type) Output, 16 points (DC 12/24V 0.1A)	4,100,000
Analog Input	XGF-AV8A	Voltage input, 8 channels (14 BIT)	13,700,000
	XGF-AC8A	Current input, 8 channels (14 BIT)	13,700,000
	XGF-AD8A	Voltage/Current input, 8 channels (14 BIT)	15,100,000
	XGF-AD4S	Voltage/Current input, 4 channels, Isolation type (16 BIT)	16,200,000
	XGF-AD16A	Voltage/Current input, 16 channels (14 BIT)	20,600,000
Analog Output	XGF-DV4A	Voltage output, 4 channels (14 BIT)	13,800,000
	XGF-DC4A	Current output, 4 channels (14 BIT)	13,800,000
	XGF-DV8A	Voltage output, 8 channels (14 BIT)	15,800,000
	XGF-DC8A	Current output, 8 channels (14 BIT)	15,800,000
	XGF-DV4S	Voltage output, 4 channels, Isolation type (14 BIT)	17,500,000

BẢNG GIÁ PLC LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng		Diễn Giải	Đơn giá (VNĐ)
	XGF-DC4S	Current output, 4 channels, Isolation type (14 BIT)	17,500,000
Hybrid Analog I/O	XGF-AH6A	Current input 4 channels & Current 2 output channels	18,200,000
Hybrid Analog I/O	XGF-AW4S	2 Wire, Voltage/Current input, 4 channels, Isolation type (16 BIT)	16,100,000
HSC	XGF-HO2A	Pulse (OC) input, 2 channels	8,100,000
	XGF-HD2A	Pulse (LD) input, 2 channels	8,100,000
	XGF-HO8A	Pulse (OC) input, 8 channels	16,200,000
Position	XGF-PO1H	Pulse (OC) output 1 axis (New position model with XG-PM S/W)	9,700,000
	XGF-PD1H	Pulse (LD) output 1 axis (New position model with XG-PM S/W)	10,000,000
	XGF-PO2H	Pulse (OC) output 2 axis (New position model with XG-PM S/W)	13,400,000
	XGF-PD2H	Pulse (LD) output 2 axis (New position model with XG-PM S/W)	13,400,000
	XGF-PO3H	Pulse (OC) output 3 axis (New position model with XG-PM S/W)	17,800,000
	XGF-PD3H	Pulse (LD) output 3 axis (New position model with XG-PM S/W)	17,800,000
	XGF-PO4H	Pulse (LD) output 4 axis (New position model with XG-PM S/W)	21,200,000
	XGF-PD4H	Pulse (LD) output 4 axis (New position model with XG-PM S/W)	21,200,000
	XGF-PN4B	EtherCAT standard 4 axis	16,000,000
	XGF-PN8B	EtherCAT standard 8 axis	19,700,000
	XGF-M32E	EtherCAT motion controller 32 axis	35,100,000
Temp.	XGF-TC4S	Temperature (TC) Input, 4 channels, Isolation type	14,500,000
	XGF-RD4S	Temperature (RTD) Input, 4 channels, Isolation type	15,700,000
	XGF-RD4A	Temperature (RTD) Input, 4 channels	12,200,000
	XGF-RD8A	Temperature (RTD) Input, 8 channels	16,000,000
Temp. Control	XGF-TC4UD	Temperature Controller, 4 loops, Universal, Insolation type	34,900,000
	XGF-TC4RT	Temperature Controller, 4 loops, RTD, Insolation type	16,200,000
Cnet	XGL-CH2B	Computer Communication RS-232C/RS-422 (Each 1ch)	7,100,000
	XGL-C22B	Computer Communication RS-232C, 2ch	7,100,000
	XGL-C42B	Computer Communication RS-422, 2ch	7,100,000
Rnet	XGL-RMEB	R-net Master, 1Mbps, TP	5,600,000
Fnet	XGL-FMEA	F-net Master	7,700,000
Dnet	XGL-DMEB	Devicenet, Master, 500Kbps, ODVA standard	18,900,000
Pnet	XGL-PMEB	Profibus-DP Master, 12Mbps, OP standard (Configuration tool : sycon); not including connector	19,200,000
	XGL-PSRA	Profibus remote module	12,400,000
	XGL-PSEA	Profibus slave module	11,300,000
Ethernet/ RAPIEnet+	XGL-EFMTB	Open FEnet Electric, Master, 100 /10Mbps, RJ-45	15,800,000
	XGL-EFMFB	Open FEnet Optical, Master, 100/10Mbps, SC type	17,900,000
	XGL-EFMHB	Open FEnet Electric/Optical, Master, 100/10Mbps, RJ-45/SC type	12,000,000
Ethernet Hub	XGL-EH5T	Ethernet Hub 5 Port UTP	3,950,000

BẢNG GIÁ PLC LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng		Diễn Giải	Đơn giá (VNĐ)
Ethernet IP	XGL-EIPT	EtherNet/IP I/F module	16,000,000
BACnet	XGL-BIPT	BACnet module	12,000,000
RAPIEnet+ Ext. Drive	XGL-DBDT	Extension Drive Module, Connector for extension base connection(electrical-electrical), Built-in USB	10,800,000
	XGL-DBDF	Extension Drive Module, Connector for extension base connection(Optical-optical), Built-in USB	14,000,000
	XGL-DBDH	Extension Drive Module, Connector for extension base connection(optical-electrical), Built-in USB	12,500,000
	XOL-ES4T	Multiport RAPIEnet Switch (External, Electric)	14,700,000
	XOL-ES4H	Multiport RAPIEnet Switch (External, Optical)	17,500,000
Ext. Cable	XGC-E041	Expansion Cable Length:0.4m	3,000,000
	XGC-E061	Expansion Cable Length:0.6m	3,400,000
	XGC-E121	Expansion Cable Length:1.2m	4,250,000
	XGC-E301	Expansion Cable Length:3.0m	6,800,000
	XGC-E501	Expansion Cable Length:5.0m	9,800,000
	XGC-E102	Expansion Cable Length:10m	6,000,000
	XGC-E152	Expansion Cable Length:15m	7,600,000
SOE Recorder	XGF-SOEA	Sequence Of Events Recorder (per 1ms)	19,400,000
Data log	XGF-DL16A	Data log module	11,500,000
HART	XGF-AC4H	HART Interface Input module	12,700,000
	XGF-DC4H	HART Interface Output module	17,400,000
Ext. End	XGT-TERA	Extension base end connector	1,530,000
Dummy	XGT-DMMA	Dummy Module	200,000
XGR CPU	XGR-CPUH/F	CPU Module, User Program Memory 1Mbyte, Max. 131,072 I/O, Built-in RS-233C, USB, optical/optical connector supported	54,400,000
	XGR-CPUH/T	CPU Module, User Program Memory 1Mbyte, Max. 131,072 I/O, Built-in RS-232C, USB, electrical/electrical connector supported	48,200,000
	XGR-CPUH/S	Single mode CPU	57,700,000
Power	XGR-AC12	Power Supply Module, AC 110V, DC5V 5.5A	5,450,000
	XGR-AC22	Power Supply Module, AC 220V, DC5V 5.5A	5,450,000
	XGR-AC23	Power Supply Module, AC 220V, DC5V 8.5A	7,000,000
	XGR-AC13	Power Supply Module, AC 110V, DC5V 8.5A	7,000,000
	XGR-DC42	Power Supply Module, DC 24V, DC5V 5.5A	7,000,000
Ext. Drive	XGR-DBSH	Extension Drive Module, Connector for extension base connection(optical-electrical), Built-in USB	17,200,000
	XGR-DBSF	Extension Drive Module, Connector for extension base connection(Optical-optical), Built-in USB	17,200,000
	XGR-DBST	Extension Drive Module, Connector for extension base connection(electrical-electrical), Built-in USB	15,700,000
	XGR-DBSFS	Single mode Extension drive (Optical-optical)	21,900,000
	XGR-DBSHS	Single mode Extension drive (electrical-electrical)	21,900,000
Ext. Drive for dual ring	XGR-DBDH	Extension Drive Module, Connector for extension base connection(optical-electrical), Built-in USB	21,900,000
	XGR-DBDF	Extension Drive Module, Connector for extension base connection(Optical-optical), Built-in USB	21,900,000

BẢNG GIÁ PLC LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng		Diễn Giải	Đơn giá (VNĐ)
	XGR-DBDT	Extension Drive Module, Connector for extension base connection(electrical-electrical), Built-in USB	21,700,000
Base	XGR-M06P	Base board (Main), 6 slots for I/O Module	11,300,000
	XGR-M02P	Base board (Main), 2 slots for I/O Module	9,400,000
	XGR-E12P	Base board (Ext.), 12 slots for I/O Module	12,100,000
	XGR-E08P	Base board (Ext.), 8 slots for I/O Module	10,400,000
	XGR-E12H	Base board (Ext.) for dual ring	13,400,000
Sync. Cable	XGC-F201	LC type optical cable (multi core), length: 2 m	2,000,000
	XGC-F501	LC type optical cable (multi core), length: 5 m	2,550,000
Dummy Module	XGR-DMMA	Dummy Module	400,000
Modbus	GSL-TR4C1	32 Tr.(Sink) Output, 0.1A, Modbus(RS-422/485), Removable terminal block	6,000,000
	GSL-TR2C1	16 Tr.(Sink) Output, 0.1A, Modbus(RS-422/485), Removable terminal block	5,100,000
	GSL-RY2C	16 Ry. Output, Modbus(RS-422/485), Removable terminal block	5,300,000
	GSL-DT4C1	16 DC Input(Sink/Source) / 16 Tr. Output(Sink), 0.1A, Modbus(RS-422/485), Removable terminal block	6,000,000
	GSL-D24C	32 DC Input(Sink/Source), Modbus(RS-422/485), Removable terminal block	6,000,000
	GSL-D22C	16 DC Input(Sink/Source), Modbus(RS-422/485), Removable terminal block	4,700,000
Rnet	GRL-TR4C	32 Tr.(Source) Output, 0.5A, Rnet, Removable terminal block	5,450,000
	GRL-TR4C-G3	32 Tr.(Source) Output, 0.5A, Rnet, Removable terminal block	6,000,000
	GRL-TR4C1	32 Tr.(Sink) Output, 0.5A, Rnet, Removable terminal block	5,450,000
	GRL-TR4C1-G3	32 Tr.(Sink) Output, 0.5A, Rnet, Removable terminal block	6,000,000
	GRL-TR2C	16 Tr.(Source) Output, 0.5A, Rnet, Removable terminal block	4,600,000
	GRL-TR2C-G3	16 Tr.(Source) Output, 0.5A, Rnet, Removable terminal block	5,100,000
	GRL-TR2C1	16 Tr.(Sink) Output, 0.5A, Rnet, Removable terminal block	4,600,000
	GRL-TR2C1-G3	16 Tr.(Sink) Output, 0.5A, Rnet, Removable terminal block	5,100,000
	GRL-RY2C	16 Ry. Output, Rnet, Removable terminal block	5,450,000
	GRL-RY2C-G3	16 Ry. Output, Rnet, Removable terminal block	6,000,000
	GRL-DT4C	16 DC Input(Sink/Source) / 16 Tr. Output(Sink), 0.5A, Rnet, Removable terminal block	5,000,000
	GRL-DT4C-G3	16 DC Input(Sink/Source) / 16 Tr. Output(Sink), 0.5A, Rnet, Removable terminal block	5,700,000
	GRL-DT4C1	16 DC Input(Sink/Source) / 16 Tr. Output(Sink), 0.5A, Rnet, Removable terminal block	5,000,000
	GRL-DT4C1-G3	16 DC Input(Sink/Source) / 16 Tr. Output(Sink), 0.5A, Rnet, Removable terminal block	5,700,000
	GRL-D22C	16 DC Input(Sink/Source), Rnet, Removable terminal block	4,250,000
	GRL-D22C-G3	16 DC Input(Sink/Source), Rnet, Removable terminal block	4,800,000
	GRL-D24C	32 DC Input(Sink/Source), Rnet, Removable terminal block	5,000,000

BẢNG GIÁ PLC LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng		Diễn Giải	Đơn giá (VNĐ)
	GRL-D24C-G3	32 DC Input(Sink/Source), Rnet, Removable terminal block	5,700,000
Profibus DP	GPL-TR4C1	32 Tr.(Sink) Output, 0.5A, Profibus-DP, Removable terminal block	6,000,000
	GPL-TR4C	32 Tr.(Source) Output, 0.5A, Profibus-DP, Removable terminal block	6,000,000
	GPL-TR2C1	16 Tr.(Sink) Output, 0.5A, Profibus-DP, Removable terminal block	4,900,000
	GPL-TR2C	16 Tr.(Source) Output, 0.5A, Profibus-DP, Removable terminal block	4,900,000
	GPL-RY2C	16 Ry. Output, Profibus-DP, Removable terminal block	6,000,000
	GPL-DT4C1	16 DC Input(Sink/Source) / 16 Tr. Output(Sink), 0.5A, Profibus-DP, Removable terminal block	6,000,000
	GPL-DT4C	16 DC Input(Sink/Source) / 16 Tr. Output(Source), 0.5A, Profibus-DP, Removable terminal block	6,000,000
	GPL-D24C	32 DC Input(Sink/Source), Profibus-DP, Removable terminal block	6,000,000
	GPL-D22C	16 DC Input(Sink/Source), Profibus-DP, Removable terminal block	5,350,000
	GPL-DV4C	Analog Voltage output, 4 channels, Profibus-DP, Removable terminal block	15,000,000
	GPL-DC4C	Analog Current output, 4 channels, Profibus-DP, Removable terminal block	15,000,000
	GPL-AV8C	Analog Voltage input, 8 channels, Profibus-DP, Removable terminal block	16,200,000
	GPL-AC8C	Analog Current input, 8 channels, Profibus-DP, Removable terminal block	16,200,000
DeviceNet	GDL-TR4C1	32 Tr.(Sink) Output, 0.5A, DeviceNet, Removable terminal block	6,300,000
	GDL-TR4C	32 Tr.(Source) Output, 0.5A, DeviceNet, Removable terminal block	6,300,000
	GDL-TR2C1	16 Tr.(Sink) Output, 0.5A, DeviceNet, Removable terminal block	4,800,000
	GDL-TR2C	16 Tr.(Source) Output, 0.5A, DeviceNet, Removable terminal block	4,800,000
	GDL-RY2C	16 Ry. Output, DeviceNet, Removable terminal block	6,200,000
	GDL-DT4C1	16 DC Input(Sink/Source) / 16 Tr. Output(Sink), 0.5A, DeviceNet, Removable terminal block	6,300,000
	GDL-DT4C	16 DC Input(Sink/Source) / 16 Tr. Output(Sourc), 0.5A, DeviceNet, Removable terminal block	6,300,000
	GDL-D24C	32 DC Input(Sink/Source), DeviceNet, Removable terminal block	6,300,000
	GDL-D22C	16 DC Input(Sink/Source), DeviceNet, Removable terminal block	4,800,000
	GEL-D24C	32 DC Input(Sink/Source), RAPIEnet+, Removable terminal block	7,600,000
	GEL-DT4C1	16 DC Input(Sink/Source) / 16 Tr. Output(Sourc), 0.5A, RAPIEnet+, Removable terminal block	7,600,000

BẢNG GIÁ PLC LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng		Diễn Giải	Đơn giá (VNĐ)
RAPIEnet+	GEL-TR4C1	32 Tr.(Sink) Output, 0.5A, RAPIEnet+, Removable terminal block	7,600,000
	GEL-RY2C	16 Ry. Output, RAPIEnet+, Removable terminal block	8,250,000
	GEL-AV8C	Analog Voltage input, 8 channels, RAPIEnet+, Removable terminal block	11,450,000
	GEL-AC8C	Analog Current input, 8 channels, RAPIEnet+, Removable terminal block	11,450,000
	GEL-DV4C	Analog Voltage output, 4 channels, RAPIEnet+, Removable terminal block	12,700,000
	GEL-DC4C	Analog Current output, 4 channels, RAPIEnet+, Removable terminal block	12,700,000
RAPIEnet+ RAPIEnet, Ethernet/IP, Modbus TCP/IP, BOOTP, DHCP	XEL-BSSRT	RAPIEnet, Ethernet/IP, Modbus TCP/IP, BOOTP, DHCP + adapter(Electrical-Electrical)	9,200,000
	XEL-BSSRF	RAPIEnet, Ethernet/IP, Modbus TCP/IP, BOOTP, DHCP + adapter(Optical-Optical)	12,400,000
	XEL-BSSRH	RAPIEnet, Ethernet/IP, Modbus TCP/IP, BOOTP, DHCP + adapter(Electrical-Optical)	10,800,000
Profibus DP	XPL-BSSA	Profibus DP adapter	7,500,000
DeviceNet	XDL-BSSA	DeviceNet adapter	8,900,000
Rnet	XRL-BSSA	Rnet adapter	7,200,000
Terminal board	XTB-40H (TG7-1H40S)	PLC, TERMINAL BOARD, 40P	700,000
Relay (NPN)	R32C-NS5A-40P	PLC, RELAY BOARD, 32 Point(NPN)	6,700,000
Relay (PNP)	R32C-PS5A-40P	PLC, RELAY BOARD, 32 Point(PNP)	6,700,000
Cable	C40HF-05PB-XGP1	PLC, CABLE ASS'Y, 40p-40p, 0.5m	700,000
	C40HF-10PB-XGP1	PLC, CABLE ASS'Y, 40p-40p, 1m	830,000
	C40HF-15PB-XGP1	PLC, CABLE ASS'Y, 40p-40p, 1.5m	950,000
	C40HF-20PB-XGP1	PLC, CABLE ASS'Y, 40p-40p, 2m	1,150,000
	C40HF-30PB-XGP1	PLC, CABLE ASS'Y, 40p-40p, 3m	1,210,000
	C40HF-05PB-1	PLC, CABLE ASS'Y, 40p-40p, 0.5m	820,000
	C40HF-10PB-1	PLC, CABLE ASS'Y, 40p-40p, 1m	830,000
	C40HF-15PB-1	PLC, CABLE ASS'Y, 40p-40p, 1.5m	950,000
	C40HF-20PB-1	PLC, CABLE ASS'Y, 40p-40p, 2m	1,150,000
	C40HF-30PB-1	PLC, CABLE ASS'Y, 40p-40p, 3m	1,210,000
	C40HH-05SB-XBE	PLC, CABLE ASS'Y, 40p-40p, 0.5m	710,000
	C40HH-10SB-XBE	PLC, CABLE ASS'Y, 40p-40p, 1m	830,000
	C40HH-15SB-XBE	PLC, CABLE ASS'Y, 40p-40p, 1.5m	950,000
	C40HH-20SB-XBE	PLC, CABLE ASS'Y, 40p-40p, 2m	1,150,000
	C40HH-30SB-XBE	PLC, CABLE ASS'Y, 40p-40p, 3m	1,210,000
	C40HF-05PB-1B	PLC, CABLE ASS'Y, 40p-40p, 0.5m	820,000
	C40HF-10PB-1B	PLC, CABLE ASS'Y, 40p-40p, 1m	830,000
	C40HF-15PB-1B	PLC, CABLE ASS'Y, 40p-40p, 1.5m	950,000
	C40HF-20PB-1B	PLC, CABLE ASS'Y, 40p-40p, 2m	1,150,000
	C40HF-30PB-1B	PLC, CABLE ASS'Y, 40p-40p, 3m	1,210,000
	C40HF-05PB-3	PLC, CABLE ASS'Y, 40p-40p, 0.5m	820,000
	C40HF-10PB-3	PLC, CABLE ASS'Y, 40p-40p, 1m	830,000
	C40HF-15PB-3	PLC, CABLE ASS'Y, 40p-40p, 1.5m	950,000

BẢNG GIÁ PLC LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng		Diễn Giải	Đơn giá (VNĐ)
	C40HF-20PB-3	PLC,CABLE ASS'Y,40p-40p,2m	1,150,000
	C40HF-30PB-3	PLC,CABLE ASS'Y,40p-40p,3m	1,210,000
	R40H/20HH-05S-XBM3	PLC,CABLE ASS'Y,20px2-40p,0.5m	1,000,000
	R40H/20HH-10S-XBM3	PLC,CABLE ASS'Y,20px2-40p,1m	1,050,000
	C40HH-05SB-XBI	PLC,CABLE ASS'Y,40p-40p,0.5m	710,000
	C40HH-10SB-XBI	PLC,CABLE ASS'Y,40p-40p,1m	830,000
	C40HH-15SB-XBI	PLC,CABLE ASS'Y,40p-40p,1.5m	950,000
	C40HH-20SB-XBI	PLC,CABLE ASS'Y,40p-40p,2m	1,150,000
	C40HH-30SB-XBI	PLC,CABLE ASS'Y,40p-40p,3m	1,210,000
	C40HF-05PB-3	PLC,CABLE ASS'Y,40p-40p,0.5m	820,000
	C40HF-10PB-3	PLC,CABLE ASS'Y,40p-40p,1m	830,000
	C40HF-15PB-3	PLC,CABLE ASS'Y,40p-40p,1.5m	950,000
	C40HF-20PB-3	PLC,CABLE ASS'Y,40p-40p,2m	1,150,000
	C40HF-30PB-3	PLC,CABLE ASS'Y,40p-40p,3m	1,210,000
Download cable	K1C-50A	Computer - PLC Cable RS-232C	1,210,000
	PMC-310S	Connection cable(PC to PLC), 9pin(PC)-6pin(PLC), Soft tube type cable for XBM	630,000
	USB-301A 2.0	Connection cable(PC to PLC/HMI), USB 2.0	630,000
Battery	XGT CPU	BATT,LITHIUM,CR17335-CN763S,3V,2AH,MITSUBISHI	510,000
	XBC & XEC	BATT,LITHIUM,CR2032,WK13,3V,220mAh,MAXELL	730,000
	XGB U	BATT,LITHIUM,XL-050H,3.6V,XENO ENERGY	1,100,000
Pnet connector	GPL-CON(M)	Pnet connector (Master)	1,340,000
	GPL-CON(s)	Pnet connector (Slave)	1,340,000
IC Motion contr	XMC-E08A	Stand alone motrion controller (Analog I/O), 8 Axes	28,500,000
	XMC-E16A	Stand alone motrion controller (Analog I/O), 16 Axes	30,100,000
	XMC-E32A	Stand alone motrion controller (Analog I/O), 32 Axes	30,000,000
	XMC-E32C	Stand alone motrion controller (Cnet), 32 Axes	30,000,000
	XMC-E08A/DC	Stand alone motrion controller (Analog I/O), 8 Axes	28,500,000
	XMC-E16A/DC	Stand alone motrion controller (Analog I/O), 16 Axes	30,100,000
	XMC-E32A/DC	Stand alone motrion controller (Analog I/O), 32 Axes	31,700,000
	XMC-E32C/DC	Stand alone motrion controller (Cnet), 32 Axes	31,700,000
EtherCAT Smart I/O adaptor	XEL-BSSCT	EtherCAT Smart I/O adaptor	7,900,000

- GHI CHÚ: Giá này chưa bao gồm VAT

BẢNG GIÁ HMI LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng			Diễn Giải	Đơn giá (VND)
XP10	4.1 inch	XP10BKA/DC	4.1" Mono green LCD(192×64Dot), DC24V power	4,600,000
		XP10BKB/DC	4.1" Mono green LCD(192×64Dot), DC24V power (built-in RTC)	7,200,000
eXP2	4.3 Inch	eXP2-0400D	4.3" TFT LCD, 24Bit Color (16.7M), DC24V power based on Win CE core with Ethernet port	6,600,000
		eXP2-0400D-EX	4.3" TFT LCD, 24Bit Color (16.7M), DC24V power based on Win CE core with Ethernet port, IP65 / NEMA 4X	6,600,000
	5.6 Inch	eXP2-0500D	5.6" TFT LCD, 18Bit Color (65,536), 256 Colors, DC24V power based on Win CE core with Ethernet port	11,300,000
		eXP2-0502D	5.6" TFT LCD, 18Bit Color (65,536), DC24V power based on Win CE core	11,000,000
	7 Inch	eXP2-0702D	7" TFT LCD, 24Bit Color (16.7M), DC24V power based on Win CE core	8,400,000
		eXP2-0710D	7" TFT LCD, 24Bit Color (16.7M), DC24V power based on Win CE Pro with Ethernet port	10,600,000
		eXP2-0700D	7" TFT LCD, 24Bit Color (16.7M) DC24V power based on Win CE core with Ethernet port	8,700,000
		eXP2-0700D-EX	7" TFT LCD, 24Bit Color (16.7M), DC24V power based on Win CE core with Ethernet port, IP65 / NEMA 4X	10,800,000
		eXP2-0701D	7" TFT LCD, 24Bit Color (16.7M), DC24V power based on Win CE core with Ethernet port, Micro SD Slot	8,900,000
		eXP2-0701D-EX	7" TFT LCD, 24Bit Color (16.7M), DC24V power based on Win CE core with Ethernet port, Micro SD Slot, IP65 / NEMA 4X	11,000,000
		eXP2-1010D	10.1" TFT LCD, 24Bit Color (16.7M), DC24V power based on Win CE Pro with Ethernet port	15,200,000
	10.1 Inch	eXP2-1000D	10.1" TFT LCD, 24Bit Color (16.7M), DC24V power based on Win CE core with Ethernet port	12,500,000
		eXP2-1000D-EX	10.1" TFT LCD, 24Bit Color (16.7M), DC24V power based on Win CE core with Ethernet port, IP65 / NEMA 4X	15,300,000
		eXP2-1001D	10.1" TFT LCD, 24Bit Color (16.7M), DC24V power based on Win CE core with Ethernet port, Micro SD Slot	12,700,000
		eXP2-1001D-EX	10.1" TFT LCD, 24Bit Color (16.7M), DC24V power based on Win CE core with Ethernet port, IP65 / NEMA 4X, Micro SD Slot	15,500,000
		iXP2-0800D	8.4" TFT 16,777,216 colors, SVGA(800×600 dots), DC12/24V power, based on Win CE core	33,800,000

BẢNG GIÁ HMI LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng			Diễn Giải	Đơn giá (VNĐ)
iXP2	8.4 inch	iXP2-0800A	8.4" TFT 16,777,216 colors, SVGA(800×600 dots), AC100~240V power, based on Win CE core	33,800,000
		iXP2-0800A-EX	8.4" TFT 16,777,216 colors, SVGA(800×600 dots), AC100~240V power, based on Win CE core, Explosion Certi.(IECEx, ATEX)	34,500,000
		iXP2-0800D-EX	8.4" TFT 16,777,216 colors, SVGA(800×600 dots), DC12/24V power, based on Win CE core, Explosion Certi.(IECEx, ATEX)	34,500,000
	10.4 inch	iXP2-1000A	10.4" TFT 16,777,216 colors, SVGA(800×600 dots), AC100~240V power, based on Win CE core	39,600,000
		iXP2-1000D	10.4" TFT 16,777,216 colors, SVGA(800×600 dots), DC12/24V power, based on Win CE core	39,600,000
		iXP2-1000A-EX	10.4" TFT 16,777,216 colors, SVGA(800×600 dots), AC100~240V power, based on Win CE core, Explosion Certi.(IECEx, ATEX)	41,100,000
		iXP2-1000D-EX	10.4" TFT 16,777,216 colors, SVGA(800×600 dots), DC12/24V power, based on Win CE core, Explosion Certi.(IECEx, ATEX)	41,100,000
	12.1 inch	iXP2-1200A	12.1" TFT 16,777,216 colors, SVGA(800×600 dots), AC100~240V power, based on Win CE core	44,200,000
		iXP2-1200D	12.1" TFT 16,777,216 colors, SVGA(800×600 dots), DC12/24V power, based on Win CE core	44,200,000
		iXP2-1200A-EX	12.1" TFT 16,777,216 colors, SVGA(800×600 dots), AC100~240V power, based on Win CE core, Explosion Certi.(IECEx, ATEX)	44,200,000
		iXP2-1200D-EX	12.1" TFT 16,777,216 colors, SVGA(800×600 dots), DC12/24V power, based on Win CE core, Explosion Certi.(IECEx, ATEX)	44,200,000
	15 inch	iXP2-1500A	15" TFT 16,777,216 colors, XGA(1024×768 dots), AC100~240V power, based on Win CE core	53,500,000
		iXP2-1500D	15" TFT 16,777,216 colors, XGA(1024×768 dots), DC12/24V power, based on Win CE core	53,500,000
		iXP2-1500A-EX	15" TFT 16,777,216 colors, XGA(1024×768 dots), AC100~240V power, based on Win CE core, Explosion Certi.(IECEx, ATEX)	53,500,000
		iXP2-1500D-EX	15" TFT 16,777,216 colors, XGA(1024×768 dots), DC12/24V power, based on Win CE core, Explosion Certi.(IECEx, ATEX)	53,500,000
Handy	7 Inch	HMI, iXP2H-0702D05	RS-232C, Enet, 5M cable	61,800,000
		HMI, iXP2H-0702D10	RS-232C, Enet, 10M cable	61,800,000
		HMI, iXP2H-0704D05	RS-485, Enet, 5M cable	61,800,000

BẢNG GIÁ HMI LS - HÀN QUỐC

(Áp dụng từ ngày 15-04-2026)



Tên hàng			Diễn Giải	Đơn giá (VNĐ)
		HMI, iXP2H-0704D10	RS-485, Enet, 10M cable	61,800,000
		HMI, iXP2O-JB0D	Handy Junction box	5,700,000
wXP	-	wXP	USB License key for using wXP on PC	19,100,000
Developer & Runtime Version		InfoU-RC-75	75 tags	14,000,000
		InfoU-RC-150	150 tags	30,100,000
		InfoU-RC-500	500 tags	56,100,000
		InfoU-RC-1K	1,000 tags	68,100,000
		InfoU-RC-2K	2,000 tags	80,200,000
		InfoU-RC-MAX	Unlimited tags	112,300,000
Runtime Version		InfoU-RT-75	75 tags	14,000,000
		InfoU-RT-150	150 tags	24,100,000
		InfoU-RT-500	500 tags	40,100,000
		InfoU-RT-1K	1,000 tags	52,100,000
		InfoU-RT-2K	2,000 tags	64,200,000
		InfoU-RT-MAX	Unlimited tags	88,200,000
Web version		InfoU-OP-WEBMAX	InfoU-RC + Web server [Unlimited access]	372,800,000
		InfoU-OP-WEBMAX/150	unlimited client license + InfoU-RC-150	56,300,000
		InfoU-OP-WEBMAX/500	unlimited client license + InfoU-RC-500	105,100,000
		InfoU-OP-WEBMAX/1K	unlimited client license + InfoU-RC-1K	127,600,000
		InfoU-OP-WEBMAX/2K	unlimited client license + InfoU-RC-2K	150,100,000
Manual		MANUAL,ENGLISH,InfoU	InfoU English manual	1,900,000

- GHI CHÚ: Giá này chưa bao gồm VAT